

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	28-08-2025 15:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	28-08-2025 15:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Defence
विभाग का नाम/Department Name	Department Of Defence Production
संगठन का नाम/Organisation Name	Mazagon Dock Shipbuilders Limited
कार्यालय का नाम/Office Name	*****
	<p>Calibration Services - CALIBRATOR RTD for 4 Nos; As per SOW; As per SOW; As per SOW , Calibration Services - THERMAL IMAGER MAKE : FLUKE MODEL -FLUKE for 2 Nos; As per SOW; As per SOW; As per SOW , Calibration Services - SCOPE METER MAKE FLUKE MODEL NO 19xC 2x5c ACCURACY : 0 point 8 for 2 Nos; As per SOW; As per SOW; As per SOW , Calibration Services - POWER BIRD METER MAKE/MODEL: BIRD/5000XT for 4 Nos; As per SOW; As per SOW; As per SOW , Calibration Services - LCR-Q METER MAKE : APLAB 230VOLT AC 50Hz for 2 Nos; As per SOW; As per SOW; As per SOW , Calibration Services - MULTIFUNCTION CALIBRATOR MAKE : YOKOGAWA/FLUKE for 4 Nos; As per SOW; As per SOW; As per SOW , Calibration Services - DOCUMENTING PROCESS CALIBRATORS MAKE : FLUKE 754 for 4 Nos; As per SOW; As per SOW; As per SOW , Calibration Services - OPTICAL TACHOMETER DISPLAY: 5 DIGITS RANGE: 2 point 5 TO 999 RPM NON CONTACT TYPE for 6 Nos; As per SOW; As per SOW; As per SOW , Calibration Services - PORTABLE PRESSURE CALIBRATOR MAKE/MODEL: NAGMAN RANGE : -1 TO 40 BAR for 2 Nos; As per SOW; As per SOW; As per SOW , Calibration Services - DIAL CALIBRATOR TESTER(MECHANICAL) MAKE/MODEL : MIKROTECH RANGE : 0-25MM ACCURACY : 1 MICRON for 2 Nos; As per SOW; As per SOW; As per SOW , Calibration Services - SINE BAR UPTO 250 MM SPEC IS 5359-1987 ACCURACY : AS PER IS5359-1987 MAKE:SUPREM for 4 Nos; As per SOW; As per SOW; As per SOW , Calibration Services - SOUND LEVEL METER MAKE: BRUEL &KJAEER MODEL:2250B for 6 Nos; As per SOW; As per SOW; As per SOW , Calibration Services - WEIGHT MACHINE MODEL : KERN RANGE : 1210 gms for 2 Nos; As per SOW; As per SOW; As per SOW , Calibration Services - DIGITAL CALIBRATION TESTER MAKE : MIKROTECH RANGE:0-25mm for 2 Nos; As per SOW; As per SOW; As per SOW , Calibration Services - HULL ROUGHNESS GAUGE MAKE/MODEL : DC900 RANGE : 0-2500MICRONS for 4 Nos; As per SOW; As per SOW; As per SOW</p>

बिड विवरण / Bid Details	SOW, Calibration Services - RADIUS GAUGE RANGE : 7 point 5 TO 15 mm MAKE:MITUTOYO for 4 Nos; As per SOW; As per SOW; As per SOW , Calibration Services - TEMP & HUMIDITY DATA LOGGER MAKE : TESTO RANGE : -40 TO 50C & 0-100% for 68 Nos; As per SOW; As per SOW; As per SOW , Calibration Services - DIGITAL BEVEL PROTRACTOR RANGE: 0 360 deg ACCURACY :1 Minute for 12 Nos; As per SOW; As per SOW; As per SOW , Calibration Services - BEVEL PROTRACTOR SIZE : 0-90 Deg for 12 Nos; As per SOW; As per SOW; As per SOW , Calibration Services - DENSITY METER MAKE : ANTONPARR MODEL : DMA35 RANGE-0-3g/cm3 for 6 Nos; As per SOW; As per SOW; As per SOW , Calibration Services - PH & CONDUCTIVITY METER MAKE HANNA INSTRUMENT RANGE 0-20(pH) Conductivity -1400 /cm for 8 Nos; As per SOW; As per SOW; As per SOW , Calibration Services - DIGITAL RUBBER HARDNESS GAUGE (SHORE A) MAKE - BOMBAY TOOLS CENTRE for 4 Nos; As per SOW; As per SOW; As per SOW , Calibration Services - SCREW PLUG GAUGE MAKE - SIZE CONTROL SIZE- M 30X1point5-6H for 2 Nos; As per SOW; As per SOW; As per SOW , Calibration Services - SCREW PLUG GAUGE MAKE - SIZE CONTROL SIZE- M 27X2-6H for 2 Nos; As per SOW; As per SOW; As per SOW , Calibration Services - SCREW PLUG GAUGE MAKE - SIZE CONTROL SIZE- M 33X2 ISO-6H for 2 Nos; As per SOW; As per SOW; As per SOW , Calibration Services - SCREW PLUG GAUGE MAKE - SIZE CONTROL SIZE- M 36X4 ISO-6H for 2 Nos; As per SOW; As per SOW; As per SOW , Calibration Services - SCREW PLUG GAUGE MAKE - SIZE CONTROL SIZE- M 30X2-6H for 2 Nos; As per SOW; As per SOW; As per SOW , Calibration Services - SCREW PLUG GAUGE MAKE - SMALL GAUGES SIZE- M 33X2-6H for 2 Nos; As per SOW; As per SOW; As per SOW , Calibration Services - SCREW PLUG GAUGE MAKE - HIP- M 22X2point5 ISO-6H for 2 Nos; As per SOW; As per SOW; As per SOW , Calibration Services - SCREW PLUG GAUGE MAKE - SIZE CONTROL SIZE- M 20X2point5 ISO-6H for 2 Nos; As per SOW; As per SOW; As per SOW , Calibration Services - SCREW PLUG GAUGE MAKE - SMALL GAUGES SIZE- M 18X1point5 ISO-6H for 2 Nos; As per SOW; As per SOW; As per SOW , Calibration Services - SCREW PLUG GAUGE MAKE - SIZE CONTROL SIZE- M 20X1point5 ISO-6H for 2 Nos; As per SOW; As per SOW; As per SOW , Calibration Services - SCREW PLUG GAUGE MAKE - SIZE CONTROL SIZE- M 14X1point5 -6H for 2 Nos; As per SOW; As per SOW; As per SOW , Calibration Services - SCREW PLUG GAUGE MAKE - SIZE CONTROL SIZE- M 20X1point5 -6H for 2 Nos; As per SOW; As per SOW; As per SOW , Calibration Services - SCREW PLUG GAUGE MAKE - SIZE CONTROL SIZE- M 27X1point5 ISO-6H for 2 Nos; As per SOW; As per SOW; As per SOW , Calibration Services - SCREW RING GAUGE MAKE - SIZE CONTROL SIZE - M 18X1point5 ISO-6g for 2 Nos; As per SOW; As per SOW; As per SOW , Calibration Services - SCREW RING GAUGE MAKE - SMALL GAUGE SIZE - M 52X2 -6g for 2 Nos; As per SOW; As per SOW; As per SOW , Calibration Services - SCREW RING GAUGE MAKE - SIZE CONTROL SIZE - M 30X1point5 ISO -6g for 2 Nos; As per SOW; As per SOW; As per SOW , Calibration Services - SCREW RING GAUGE MAKE - SIZE CONTROL SIZE - M 16X1point5 ISO -6g for 2 Nos; As per SOW; As per SOW; As per SOW , Calibration Services - SCREW RING GAUGE MAKE - SIZE CONTROL SIZE - M 33X2 ISO -6g for 2 Nos; As per SOW; As per SOW; As per SOW , Calibration Services - SCREW RING GAUGE MAKE - SIZE CONTROL SIZE - M 8X1point25 ISO -6g for 2 Nos; As per SOW; As per SOW; As per SOW , Calibration Services -
वस्तु श्रेणी /Item Category	

बिड विवरण / Bid Details	ELECTRONIC WEIGHT BALANCE MAKE- SWISSER RANGE 0-220 grams Accuracy-0point1 mg for 2 Nos; As per SOW; As per SOW; As per SOW , Calibration Services - RESIDUAL FIELD INDICATOR MAKE-DYGLO RANGE- 10 G for 8 Nos; As per SOW; As per SOW; As per SOW , Calibration Services - ELECTROMAGNETIC YOKE MACHINE MAKE-MAG ELE & ENGG Lifting capacity 4point5 Kg for 4 Nos; As per SOW; As per SOW; As per SOW , Calibration Services - LASER DISTANCE METER MAKE-BOSCH/GLM150C 150 Meter for 4 Nos; As per SOW; As per SOW; As per SOW , Calibration Services - AIR-BOUND PARTICULATE CONTAMINATION TESTER MAKE-MXRADY 0-1000 microgram/m3 for 2 Nos; As per SOW; As per SOW; As per SOW , Calibration Services - SHORE DUROMETER MAKE-Elcometer RAGE-0-100 Shore for 4 Nos; As per SOW; As per SOW; As per SOW , Calibration Services - SOUND CALIBRATOR MAKE-Bruel & Kjaer/4231 RANGE-114 dB SPL 1000 Hz for 2 Nos; As per SOW; As per SOW; As per SOW , Calibration Services - LOOP/RCD TESTER MAKE-CHAUVIN ARNOUX/CA 6030 RANGE-10 mA-500 mA for 4 Nos; As per SOW; As per SOW; As per SOW
अनुबंध अवधि /Contract Period	2 Year(s)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Exemption for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Exemption for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Certificate (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय-सीमा बढ़ाने के लिए आवश्यक न्यूनतम सहभागी विक्रेताओं की संख्या। / Minimum number of bids required to disable automatic bid extension	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
क्रेता के लिए उपलब्ध आईटीसी/ITC available to buyer	Yes
बिड का प्रकार/Type of Bid	Two Packet Bid
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days

बिड विवरण/Bid Details	
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मूल्य दर्शाने वाला वित्तीय दस्तावेज ब्रेकअप आवश्यक है / Financial Document Indicating Price Breakup Required	Yes

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

विभाजन/Splitting

बोली विभाजन लागू नहीं किया गया/Bid splitting not applied.

एमआईआई अनुपालन/MII Compliance

एमआईआई अनुपालन/MII Compliance	Yes
-------------------------------	-----

1. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

If the buyer has mentioned MSE purchase preference in ATC then service provider is required to upload necessary documents for MSE purchase preference for verification by the buyer during evaluation.

एक्सेल में अपलोड किए जाने की आवश्यकता /Excel Upload Required :

Rate Sheet - [1754557683.xlsx](#)

अतिरिक्त योग्यता /आवश्यक डेटा/Additional Qualification/Data Required

Accreditation Documents of the desired labs:As per SOW

List of instruments along with technical specifications, frequency of calibration and scope of services:[1754557798.pdf](#)

Calibration Services - CALIBRATOR RTD For 4 Nos; As Per SOW; As Per SOW; As Per SOW (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Type of Calibration required	CALIBRATOR RTD for 4 Nos
Details of Calibration	As per SOW
Eligible Calibration Labs	As per SOW
Calibration location	As per SOW
Timeline for completing the calibration once instrument is handed over by buyer	As per SOW
Reports required	As per SOW
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	As per SOW
If any spares are required	No
एडऑन /Addon(s)	

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	100%

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Quantity (input 1)	अतिरिक्त आवश्यकता /Additional Requirement
1	*****	*****Mumbai	1	N/A

Calibration Services - THERMAL IMAGER MAKE : FLUKE MODEL -FLUKE For 2 Nos; As Per SOW; As Per SOW; As Per SOW (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Type of Calibration required	THERMAL IMAGER MAKE : FLUKE MODEL - FLUKE for 2 Nos
Details of Calibration	As per SOW

विवरण/ Specification	मूल्य/ Values
Eligible Calibration Labs	As per SOW
Calibration location	As per SOW
Timeline for completing the calibration once instrument is handed over by buyer	As per SOW
Reports required	As per SOW
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	As per SOW
If any spares are required	No
एडऑन /Addon(s)	

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	100%

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Quantity (input 1)	अतिरिक्त आवश्यकता /Additional Requirement
1	*****	*****Mumbai	1	N/A

Calibration Services - SCOPE METER MAKE FLUKE MODEL NO 19xc 2x5c ACCURACY : 0 Point 8 For 2 Nos; As Per SOW; As Per SOW; As Per SOW (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Type of Calibration required	SCOPE METER MAKE FLUKE MODEL NO 19xc 2x5c ACCURACY : 0 point 8 for 2 Nos
Details of Calibration	As per SOW
Eligible Calibration Labs	As per SOW
Calibration location	As per SOW
Timeline for completing the calibration once instrument is handed over by buyer	As per SOW

विवरण/ Specification	मूल्य/ Values
Reports required	As per SOW
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	As per SOW
If any spares are required	No
एडऑन /Addon(s)	

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	100%

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Quantity (input 1)	अतिरिक्त आवश्यकता /Additional Requirement
1	*****	*****Mumbai	1	N/A

Calibration Services - POWER BIRD METER MAKE/MODEL: BIRD/5000XT For 4 Nos; As Per SOW; As Per SOW; As Per SOW (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Type of Calibration required	POWER BIRD METER MAKE/MODEL: BIRD/5000XT for 4 Nos
Details of Calibration	As per SOW
Eligible Calibration Labs	As per SOW
Calibration location	As per SOW
Timeline for completing the calibration once instrument is handed over by buyer	As per SOW
Reports required	As per SOW
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	As per SOW

विवरण/ Specification	मूल्य/ Values
If any spares are required	No
एडऑन /Addon(s)	

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	100%

अतिरिक्त विशिष्टि दस्तावेज /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Quantity (input 1)	अतिरिक्त आवश्यकता /Additional Requirement
1	*****	*****Mumbai	1	N/A

Calibration Services - LCR-Q METER MAKE : APLAB 230VOLT AC 50Hz For 2 Nos; As Per SOW; As Per SOW; As Per SOW (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Type of Calibration required	LCR-Q METER MAKE : APLAB 230VOLT AC 50Hz for 2 Nos
Details of Calibration	As per SOW
Eligible Calibration Labs	As per SOW
Calibration location	As per SOW
Timeline for completing the calibration once instrument is handed over by buyer	As per SOW
Reports required	As per SOW
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	As per SOW
If any spares are required	No
एडऑन /Addon(s)	

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	100%

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Quantity (input 1)	अतिरिक्त आवश्यकता /Additional Requirement
1	*****	*****Mumbai	1	N/A

Calibration Services - MULTIFUNCTION CALIBRATOR MAKE : YOKOGAWA/FLUKE For 4 Nos; As Per SOW; As Per SOW; As Per SOW (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Type of Calibration required	MULTIFUNCTION CALIBRATOR MAKE : YOKOGAWA/FLUKE for 4 Nos
Details of Calibration	As per SOW
Eligible Calibration Labs	As per SOW
Calibration location	As per SOW
Timeline for completing the calibration once instrument is handed over by buyer	As per SOW
Reports required	As per SOW
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	As per SOW
If any spares are required	No
एडऑन /Addon(s)	

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	100%

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Quantity (input 1)	अतिरिक्त आवश्यकता /Additional Requirement
1	*****	*****Mumbai	1	N/A

Calibration Services - DOCUMENTING PROCESS CALIBRATORS MAKE : FLUKE 754 For 4 Nos; As Per SOW; As Per SOW; As Per SOW (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Type of Calibration required	DOCUMENTING PROCESS CALIBRATORS MAKE : FLUKE 754 for 4 Nos
Details of Calibration	As per SOW
Eligible Calibration Labs	As per SOW
Calibration location	As per SOW
Timeline for completing the calibration once instrument is handed over by buyer	As per SOW
Reports required	As per SOW
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	As per SOW
If any spares are required	No
एडऑन /Addon(s)	

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	100%

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Quantity (input 1)	अतिरिक्त आवश्यकता /Additional Requirement
1	*****	*****Mumbai	1	N/A

Calibration Services - OPTICAL TACHOMETER DISPLAY: 5 DIGITS RANGE: 2 Point 5 TO 999 RPM NON CONTACT TYPE For 6 Nos; As Per SOW; As Per SOW; As Per SOW (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Type of Calibration required	OPTICAL TACHOMETER DISPLAY: 5 DIGITS RANGE: 2 point 5 TO 999 RPM NON CONTACT TYPE for 6 Nos
Details of Calibration	As per SOW
Eligible Calibration Labs	As per SOW
Calibration location	As per SOW
Timeline for completing the calibration once instrument is handed over by buyer	As per SOW
Reports required	As per SOW
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	As per SOW
If any spares are required	No
एडऑन /Addon(s)	

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	100%

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Quantity (input 1)	अतिरिक्त आवश्यकता /Additional Requirement
1	*****	*****Mumbai	1	N/A

**Calibration Services - PORTABLE PRESSURE CALIBRATOR MAKE/MODEL: NAGMAN
RANGE : -1 TO 40 BAR For 2 Nos; As Per SOW; As Per SOW; As Per SOW (1)**

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Type of Calibration required	PORTABLE PRESSURE CALIBRATOR MAKE/MODEL: NAGMAN RANGE : -1 TO 40 BAR for 2 Nos
Details of Calibration	As per SOW
Eligible Calibration Labs	As per SOW
Calibration location	As per SOW
Timeline for completing the calibration once instrument is handed over by buyer	As per SOW
Reports required	As per SOW
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	As per SOW
If any spares are required	No
एडऑन /Addon(s)	

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	100%

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Quantity (input 1)	अतिरिक्त आवश्यकता /Additional Requirement
1	*****	*****Mumbai	1	N/A

**Calibration Services - DIAL CALIBRATOR TESTER(MECHANICAL) MAKE/MODEL :
MIKROTECH RANGE : 0-25MM ACCURACY : 1 MICRON For 2 Nos; As Per SOW; As Per
SOW; As Per SOW (1)**

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Type of Calibration required	DIAL CALIBRATOR TESTER(MECHANICAL) MAKE/MODEL : MIKROTECH RANGE : 0-25MM ACCURACY : 1 MICRON for 2 Nos
Details of Calibration	As per SOW
Eligible Calibration Labs	As per SOW
Calibration location	As per SOW
Timeline for completing the calibration once instrument is handed over by buyer	As per SOW
Reports required	As per SOW
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	As per SOW
If any spares are required	No
एडऑन /Addon(s)	

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	100%

अतिरिक्त विशिष्टि दस्तावेज /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Quantity (input 1)	अतिरिक्त आवश्यकता /Additional Requirement
1	*****	*****Mumbai	1	N/A

Calibration Services - SINE BAR UPTO 250 MM SPEC IS 5359-1987 ACCURACY : AS PER IS5359-1987 MAKE:SUPREM For 4 Nos; As Per SOW; As Per SOW; As Per SOW (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	

विवरण/ Specification	मूल्य/ Values
Type of Calibration required	SINE BAR UPTO 250 MM SPEC IS 5359-1987 ACCURACY : AS PER IS5359-1987 MAKE:SUPREM for 4 Nos
Details of Calibration	As per SOW
Eligible Calibration Labs	As per SOW
Calibration location	As per SOW
Timeline for completing the calibration once instrument is handed over by buyer	As per SOW
Reports required	As per SOW
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	As per SOW
If any spares are required	No
एडऑन /Addon(s)	

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	100%

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Quantity (input 1)	अतिरिक्त आवश्यकता /Additional Requirement
1	*****	*****Mumbai	1	N/A

Calibration Services - SOUND LEVEL METER MAKE: BRUEL &KJAER MODEL:2250B For 6 Nos; As Per SOW; As Per SOW; As Per SOW (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Type of Calibration required	SOUND LEVEL METER MAKE: BRUEL &KJAER MODEL:2250B for 6 Nos
Details of Calibration	As per SOW

विवरण/ Specification	मूल्य/ Values
Eligible Calibration Labs	As per SOW
Calibration location	As per SOW
Timeline for completing the calibration once instrument is handed over by buyer	As per SOW
Reports required	As per SOW
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	As per SOW
If any spares are required	No
एडऑन /Addon(s)	

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	100%

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Quantity (input 1)	अतिरिक्त आवश्यकता /Additional Requirement
1	*****	*****Mumbai	1	N/A

Calibration Services - WEIGHT MACHINE MODEL : KERN RANGE : 1210 Gms For 2 Nos; As Per SOW; As Per SOW; As Per SOW (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Type of Calibration required	WEIGHT MACHINE MODEL : KERN RANGE : 1210 gms for 2 Nos
Details of Calibration	As per SOW
Eligible Calibration Labs	As per SOW
Calibration location	As per SOW
Timeline for completing the calibration once instrument is handed over by buyer	As per SOW

विवरण/ Specification	मूल्य/ Values
Reports required	As per SOW
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	As per SOW
If any spares are required	No
एडऑन /Addon(s)	

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	100%

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Quantity (input 1)	अतिरिक्त आवश्यकता /Additional Requirement
1	*****	*****Mumbai	1	N/A

Calibration Services - DIGITAL CALIBRATION TESTER MAKE : MIKROTECH RANGE:0-25mm For 2 Nos; As Per SOW; As Per SOW; As Per SOW (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Type of Calibration required	DIGITAL CALIBRATION TESTER MAKE : MIKROTECH RANGE:0-25mm for 2 Nos
Details of Calibration	As per SOW
Eligible Calibration Labs	As per SOW
Calibration location	As per SOW
Timeline for completing the calibration once instrument is handed over by buyer	As per SOW
Reports required	As per SOW
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	As per SOW

विवरण/ Specification	मूल्य/ Values
If any spares are required	No
एडऑन /Addon(s)	

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	100%

अतिरिक्त विशिष्टि दस्तावेज /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Quantity (input 1)	अतिरिक्त आवश्यकता /Additional Requirement
1	*****	*****Mumbai	1	N/A

Calibration Services - HULL ROUGHNESS GAUGE MAKE/MODEL : DC900 RANGE : 0-2500MICRONS For 4 Nos; As Per SOW; As Per SOW; As Per SOW (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Type of Calibration required	HULL ROUGHNESS GAUGE MAKE/MODEL : DC900 RANGE : 0-2500MICRONS for 4 Nos
Details of Calibration	As per SOW
Eligible Calibration Labs	As per SOW
Calibration location	As per SOW
Timeline for completing the calibration once instrument is handed over by buyer	As per SOW
Reports required	As per SOW
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	As per SOW
If any spares are required	No
एडऑन /Addon(s)	

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	100%

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Quantity (input 1)	अतिरिक्त आवश्यकता /Additional Requirement
1	*****	*****Mumbai	1	N/A

Calibration Services - RADIUS GAUGE RANGE : 7 Point 5 TO 15 Mm MAKE:MITUTOYO For 4 Nos; As Per SOW; As Per SOW; As Per SOW (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Type of Calibration required	RADIUS GAUGE RANGE : 7 point 5 TO 15 mm MAKE:MITUTOYO for 4 Nos
Details of Calibration	As per SOW
Eligible Calibration Labs	As per SOW
Calibration location	As per SOW
Timeline for completing the calibration once instrument is handed over by buyer	As per SOW
Reports required	As per SOW
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	As per SOW
If any spares are required	No
एडऑन /Addon(s)	

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	100%

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Quantity (input 1)	अतिरिक्त आवश्यकता /Additional Requirement
1	*****	*****Mumbai	1	N/A

Calibration Services - TEMP & HUMIDITY DATA LOGGER MAKE : TESTO RANGE : -40 TO 50C & 0-100% For 68 Nos; As Per SOW; As Per SOW; As Per SOW (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Type of Calibration required	TEMP & HUMIDITY DATA LOGGER MAKE : TESTO RANGE : -40 TO 50C & 0-100% for 68 Nos
Details of Calibration	As per SOW
Eligible Calibration Labs	As per SOW
Calibration location	As per SOW
Timeline for completing the calibration once instrument is handed over by buyer	As per SOW
Reports required	As per SOW
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	As per SOW
If any spares are required	No
एडऑन /Addon(s)	

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	100%

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Quantity (input 1)	अतिरिक्त आवश्यकता /Additional Requirement
1	*****	*****Mumbai	1	N/A

Calibration Services - DIGITAL BEVEL PROTRACTOR RANGE: 0 360 Deg ACCURACY :1 Minute For 12 Nos; As Per SOW; As Per SOW; As Per SOW (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Type of Calibration required	DIGITAL BEVEL PROTRACTOR RANGE: 0 360 deg ACCURACY :1 Minute for 12 Nos
Details of Calibration	As per SOW
Eligible Calibration Labs	As per SOW
Calibration location	As per SOW
Timeline for completing the calibration once instrument is handed over by buyer	As per SOW
Reports required	As per SOW
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	As per SOW
If any spares are required	No
एडऑन /Addon(s)	

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	100%

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Quantity (input 1)	अतिरिक्त आवश्यकता /Additional Requirement
1	*****	*****Mumbai	1	N/A

Calibration Services - BEVEL PROTRACTOR SIZE : 0-90 Deg For 12 Nos; As Per SOW; As

Per SOW; As Per SOW (1)**तकनीकी विशिष्टियाँ /Technical Specifications**

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Type of Calibration required	BEVEL PROTRACTOR SIZE : 0-90 Deg for 12 Nos
Details of Calibration	As per SOW
Eligible Calibration Labs	As per SOW
Calibration location	As per SOW
Timeline for completing the calibration once instrument is handed over by buyer	As per SOW
Reports required	As per SOW
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	As per SOW
If any spares are required	No
एडऑन /Addon(s)	

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	100%

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents**प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Quantity (input 1)	अतिरिक्त आवश्यकता /Additional Requirement
1	*****	*****Mumbai	1	N/A

Calibration Services - DENSITY METER MAKE : ANTONPARR MODEL : DMA35 RANGE-0-3g/cm3 For 6 Nos; As Per SOW; As Per SOW; As Per SOW (1)**तकनीकी विशिष्टियाँ /Technical Specifications**

विवरण/ Specification	मूल्य/ Values
कोर / Core	

विवरण/ Specification	मूल्य/ Values
Type of Calibration required	DENSITY METER MAKE : ANTONPARR MODEL : DMA35 RANGE-0-3g/cm3 for 6 Nos
Details of Calibration	As per SOW
Eligible Calibration Labs	As per SOW
Calibration location	As per SOW
Timeline for completing the calibration once instrument is handed over by buyer	As per SOW
Reports required	As per SOW
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	As per SOW
If any spares are required	No
एडऑन /Addon(s)	

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	100%

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Quantity (input 1)	अतिरिक्त आवश्यकता /Additional Requirement
1	*****	*****Mumbai	1	N/A

Calibration Services - PH & CONDUCTIVITY METER MAKE HANNA INSTRUMENT RANGE 0-20(pH) Conductivity -1400 /cm For 8 Nos; As Per SOW; As Per SOW; As Per SOW (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Type of Calibration required	PH & CONDUCTIVITY METER MAKE HANNA INSTRUMENT RANGE 0-20(pH) Conductivity -1400 /cm for 8 Nos
Details of Calibration	As per SOW
Eligible Calibration Labs	As per SOW

विवरण/ Specification	मूल्य/ Values
Calibration location	As per SOW
Timeline for completing the calibration once instrument is handed over by buyer	As per SOW
Reports required	As per SOW
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	As per SOW
If any spares are required	No
एडऑन /Addon(s)	

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	100%

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Quantity (input 1)	अतिरिक्त आवश्यकता /Additional Requirement
1	*****	*****Mumbai	1	N/A

Calibration Services - DIGITAL RUBBER HARDNESS GAUGE (SHORE A) MAKE - BOMBAY TOOLS CENTRE For 4 Nos; As Per SOW; As Per SOW; As Per SOW (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Type of Calibration required	DIGITAL RUBBER HARDNESS GAUGE (SHORE A) MAKE - BOMBAY TOOLS CENTRE for 4 Nos
Details of Calibration	As per SOW
Eligible Calibration Labs	As per SOW
Calibration location	As per SOW
Timeline for completing the calibration once instrument is handed over by buyer	As per SOW

विवरण/ Specification	मूल्य/ Values
Reports required	As per SOW
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	As per SOW
If any spares are required	No
एडऑन /Addon(s)	

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	100%

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Quantity (input 1)	अतिरिक्त आवश्यकता /Additional Requirement
1	*****	*****Mumbai	1	N/A

Calibration Services - SCREW PLUG GAUGE MAKE - SIZE CONTROL SIZE- M 30X1point5-6H For 2 Nos; As Per SOW; As Per SOW; As Per SOW (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Type of Calibration required	SCREW PLUG GAUGE MAKE - SIZE CONTROL SIZE- M 30X1point5-6H for 2 Nos
Details of Calibration	As per SOW
Eligible Calibration Labs	As per SOW
Calibration location	As per SOW
Timeline for completing the calibration once instrument is handed over by buyer	As per SOW
Reports required	As per SOW
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	As per SOW

विवरण/ Specification	मूल्य/ Values
If any spares are required	No
एडऑन /Addon(s)	

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	100%

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Quantity (input 1)	अतिरिक्त आवश्यकता /Additional Requirement
1	*****	*****Mumbai	1	N/A

Calibration Services - SCREW PLUG GAUGE MAKE - SIZE CONTROL SIZE- M 27X2-6H For 2 Nos; As Per SOW; As Per SOW; As Per SOW (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Type of Calibration required	SCREW PLUG GAUGE MAKE - SIZE CONTROL SIZE- M 27X2-6H for 2 Nos
Details of Calibration	As per SOW
Eligible Calibration Labs	As per SOW
Calibration location	As per SOW
Timeline for completing the calibration once instrument is handed over by buyer	As per SOW
Reports required	As per SOW
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	As per SOW
If any spares are required	No
एडऑन /Addon(s)	

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	100%

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Quantity (input 1)	अतिरिक्त आवश्यकता /Additional Requirement
1	*****	*****Mumbai	1	N/A

Calibration Services - SCREW PLUG GAUGE MAKE - SIZE CONTROL SIZE- M 33X2 ISO-6H For 2 Nos; As Per SOW; As Per SOW; As Per SOW (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Type of Calibration required	SCREW PLUG GAUGE MAKE - SIZE CONTROL SIZE- M 33X2 ISO-6H for 2 Nos
Details of Calibration	As per SOW
Eligible Calibration Labs	As per SOW
Calibration location	As per SOW
Timeline for completing the calibration once instrument is handed over by buyer	As per SOW
Reports required	As per SOW
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	As per SOW
If any spares are required	No
एडऑन /Addon(s)	

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	100%

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Quantity (input 1)	अतिरिक्त आवश्यकता /Additional Requirement
1	*****	*****Mumbai	1	N/A

Calibration Services - SCREW PLUG GAUGE MAKE - SIZE CONTROL SIZE- M 36X4 ISO-6H For 2 Nos; As Per SOW; As Per SOW; As Per SOW (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Type of Calibration required	SCREW PLUG GAUGE MAKE - SIZE CONTROL SIZE- M 36X4 ISO-6H for 2 Nos
Details of Calibration	As per SOW
Eligible Calibration Labs	As per SOW
Calibration location	As per SOW
Timeline for completing the calibration once instrument is handed over by buyer	As per SOW
Reports required	As per SOW
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	As per SOW
If any spares are required	No
एडऑन /Addon(s)	

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	100%

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Quantity (input 1)	अतिरिक्त आवश्यकता /Additional Requirement
1	*****	*****Mumbai	1	N/A

Calibration Services - SCREW PLUG GAUGE MAKE - SIZE CONTROL SIZE- M 30X2-6H For 2 Nos; As Per SOW; As Per SOW; As Per SOW (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Type of Calibration required	SCREW PLUG GAUGE MAKE - SIZE CONTROL SIZE- M 30X2-6H for 2 Nos
Details of Calibration	As per SOW
Eligible Calibration Labs	As per SOW
Calibration location	As per SOW
Timeline for completing the calibration once instrument is handed over by buyer	As per SOW
Reports required	As per SOW
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	As per SOW
If any spares are required	No
एडऑन /Addon(s)	

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	100%

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Quantity (input 1)	अतिरिक्त आवश्यकता /Additional Requirement
1	*****	*****Mumbai	1	N/A

Calibration Services - SCREW PLUG GAUGE MAKE - SMALL GAUGES SIZE- M 33X2-6H

For 2 Nos; As Per SOW; As Per SOW; As Per SOW (1)**तकनीकी विशिष्टियाँ /Technical Specifications**

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Type of Calibration required	SCREW PLUG GAUGE MAKE - SMALL GAUGES SIZE- M 33X2-6H for 2 Nos
Details of Calibration	As per SOW
Eligible Calibration Labs	As per SOW
Calibration location	As per SOW
Timeline for completing the calibration once instrument is handed over by buyer	As per SOW
Reports required	As per SOW
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	As per SOW
If any spares are required	No
एडऑन /Addon(s)	

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	100%

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents**प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Quantity (input 1)	अतिरिक्त आवश्यकता /Additional Requirement
1	*****	*****Mumbai	1	N/A

Calibration Services - SCREW PLUG GAUGE MAKE - HIP- M 22X2point5 ISO-6H For 2 Nos; As Per SOW; As Per SOW; As Per SOW (1)**तकनीकी विशिष्टियाँ /Technical Specifications**

विवरण/ Specification	मूल्य/ Values
कोर / Core	

विवरण/ Specification	मूल्य/ Values
Type of Calibration required	SCREW PLUG GAUGE MAKE - HIP- M 22X2point5 ISO-6H for 2 Nos
Details of Calibration	As per SOW
Eligible Calibration Labs	As per SOW
Calibration location	As per SOW
Timeline for completing the calibration once instrument is handed over by buyer	As per SOW
Reports required	As per SOW
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	As per SOW
If any spares are required	No
एडऑन /Addon(s)	

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	100%

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Quantity (input 1)	अतिरिक्त आवश्यकता /Additional Requirement
1	*****	*****Mumbai	1	N/A

Calibration Services - SCREW PLUG GAUGE MAKE - SIZE CONTROL SIZE- M 20X2point5 ISO-6H For 2 Nos; As Per SOW; As Per SOW; As Per SOW (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Type of Calibration required	SCREW PLUG GAUGE MAKE - SIZE CONTROL SIZE- M 20X2point5 ISO-6H for 2 Nos
Details of Calibration	As per SOW
Eligible Calibration Labs	As per SOW

विवरण/ Specification	मूल्य/ Values
Calibration location	As per SOW
Timeline for completing the calibration once instrument is handed over by buyer	As per SOW
Reports required	As per SOW
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	As per SOW
If any spares are required	No
एडऑन /Addon(s)	

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	100%

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Quantity (input 1)	अतिरिक्त आवश्यकता /Additional Requirement
1	*****	*****Mumbai	1	N/A

Calibration Services - SCREW PLUG GAUGE MAKE - SMALL GAUGES SIZE- M 18X1point5 ISO-6H For 2 Nos; As Per SOW; As Per SOW; As Per SOW (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Type of Calibration required	SCREW PLUG GAUGE MAKE - SMALL GAUGES SIZE- M 18X1point5 ISO-6H for 2 Nos
Details of Calibration	As per SOW
Eligible Calibration Labs	As per SOW
Calibration location	As per SOW
Timeline for completing the calibration once instrument is handed over by buyer	As per SOW
Reports required	As per SOW

विवरण/ Specification	मूल्य/ Values
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	As per SOW
If any spares are required	No
एडऑन /Addon(s)	

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	100%

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Quantity (input 1)	अतिरिक्त आवश्यकता /Additional Requirement
1	*****	*****Mumbai	1	N/A

Calibration Services - SCREW PLUG GAUGE MAKE - SIZE CONTROL SIZE- M 20X1point5 ISO-6H For 2 Nos; As Per SOW; As Per SOW; As Per SOW (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Type of Calibration required	SCREW PLUG GAUGE MAKE - SIZE CONTROL SIZE- M 20X1point5 ISO-6H for 2 Nos
Details of Calibration	As per SOW
Eligible Calibration Labs	As per SOW
Calibration location	As per SOW
Timeline for completing the calibration once instrument is handed over by buyer	As per SOW
Reports required	As per SOW
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	As per SOW
If any spares are required	No

विवरण/ Specification	मूल्य/ Values
एडऑन /Addon(s)	

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	100%

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Quantity (input 1)	अतिरिक्त आवश्यकता /Additional Requirement
1	*****	*****Mumbai	1	N/A

Calibration Services - SCREW PLUG GAUGE MAKE - SIZE CONTROL SIZE- M 14X1point5 -6H For 2 Nos; As Per SOW; As Per SOW; As Per SOW (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Type of Calibration required	SCREW PLUG GAUGE MAKE - SIZE CONTROL SIZE- M 14X1point5 -6H for 2 Nos
Details of Calibration	As per SOW
Eligible Calibration Labs	As per SOW
Calibration location	As per SOW
Timeline for completing the calibration once instrument is handed over by buyer	As per SOW
Reports required	As per SOW
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	As per SOW
If any spares are required	No
एडऑन /Addon(s)	

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	100%

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Quantity (input 1)	अतिरिक्त आवश्यकता /Additional Requirement
1	*****	*****Mumbai	1	N/A

Calibration Services - SCREW PLUG GAUGE MAKE - SIZE CONTROL SIZE- M 20X1point5 -6H For 2 Nos; As Per SOW; As Per SOW; As Per SOW (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Type of Calibration required	SCREW PLUG GAUGE MAKE - SIZE CONTROL SIZE- M 20X1point5 -6H for 2 Nos
Details of Calibration	As per SOW
Eligible Calibration Labs	As per SOW
Calibration location	As per SOW
Timeline for completing the calibration once instrument is handed over by buyer	As per SOW
Reports required	As per SOW
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	As per SOW
If any spares are required	No
एडऑन /Addon(s)	

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	100%

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Quantity (input 1)	अतिरिक्त आवश्यकता /Additional Requirement
1	*****	*****Mumbai	1	N/A

Calibration Services - SCREW PLUG GAUGE MAKE - SIZE CONTROL SIZE- M 27X1point5 ISO-6H For 2 Nos; As Per SOW; As Per SOW; As Per SOW (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Type of Calibration required	SCREW PLUG GAUGE MAKE - SIZE CONTROL SIZE- M 27X1point5 ISO-6H for 2 Nos
Details of Calibration	As per SOW
Eligible Calibration Labs	As per SOW
Calibration location	As per SOW
Timeline for completing the calibration once instrument is handed over by buyer	As per SOW
Reports required	As per SOW
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	As per SOW
If any spares are required	No
एडऑन /Addon(s)	

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	100%

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Quantity (input 1)	अतिरिक्त आवश्यकता /Additional Requirement
1	*****	*****Mumbai	1	N/A

Calibration Services - SCREW RING GAUGE MAKE - SIZE CONTROL SIZE - M 18X1point5 ISO-6g For 2 Nos; As Per SOW; As Per SOW; As Per SOW (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Type of Calibration required	SCREW RING GAUGE MAKE - SIZE CONTROL SIZE - M 18X1point5 ISO-6g for 2 Nos
Details of Calibration	As per SOW
Eligible Calibration Labs	As per SOW
Calibration location	As per SOW
Timeline for completing the calibration once instrument is handed over by buyer	As per SOW
Reports required	As per SOW
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	As per SOW
If any spares are required	No
एडऑन /Addon(s)	

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	100%

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Quantity (input 1)	अतिरिक्त आवश्यकता /Additional Requirement
1	*****	*****Mumbai	1	N/A

Calibration Services - SCREW RING GAUGE MAKE - SMALL GAUGE SIZE - M 52X2 -6g

For 2 Nos; As Per SOW; As Per SOW; As Per SOW (1)**तकनीकी विशिष्टियाँ /Technical Specifications**

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Type of Calibration required	SCREW RING GAUGE MAKE - SMALL GAUGE SIZE - M 52X2 -6g for 2 Nos
Details of Calibration	As per SOW
Eligible Calibration Labs	As per SOW
Calibration location	As per SOW
Timeline for completing the calibration once instrument is handed over by buyer	As per SOW
Reports required	As per SOW
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	As per SOW
If any spares are required	No
एडऑन /Addon(s)	

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	100%

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents**प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Quantity (input 1)	अतिरिक्त आवश्यकता /Additional Requirement
1	*****	*****Mumbai	1	N/A

Calibration Services - SCREW RING GAUGE MAKE - SIZE CONTROL SIZE - M 30X1point5 ISO -6g For 2 Nos; As Per SOW; As Per SOW; As Per SOW (1)**तकनीकी विशिष्टियाँ /Technical Specifications**

विवरण/ Specification	मूल्य/ Values
कोर / Core	

विवरण/ Specification	मूल्य/ Values
Type of Calibration required	SCREW RING GAUGE MAKE - SIZE CONTROL SIZE - M 30X1point5 ISO -6g for 2 Nos
Details of Calibration	As per SOW
Eligible Calibration Labs	As per SOW
Calibration location	As per SOW
Timeline for completing the calibration once instrument is handed over by buyer	As per SOW
Reports required	As per SOW
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	As per SOW
If any spares are required	No
एडऑन /Addon(s)	

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	100%

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Quantity (input 1)	अतिरिक्त आवश्यकता /Additional Requirement
1	*****	*****Mumbai	1	N/A

Calibration Services - SCREW RING GAUGE MAKE - SIZE CONTROL SIZE - M 16X1point5 ISO -6g For 2 Nos; As Per SOW; As Per SOW; As Per SOW (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Type of Calibration required	SCREW RING GAUGE MAKE - SIZE CONTROL SIZE - M 16X1point5 ISO -6g for 2 Nos
Details of Calibration	As per SOW
Eligible Calibration Labs	As per SOW

विवरण/ Specification	मूल्य/ Values
Calibration location	As per SOW
Timeline for completing the calibration once instrument is handed over by buyer	As per SOW
Reports required	As per SOW
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	As per SOW
If any spares are required	No
एडऑन /Addon(s)	

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	100%

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Quantity (input 1)	अतिरिक्त आवश्यकता /Additional Requirement
1	*****	*****Mumbai	1	N/A

Calibration Services - SCREW RING GAUGE MAKE - SIZE CONTROL SIZE - M 33X2 ISO - 6g For 2 Nos; As Per SOW; As Per SOW; As Per SOW (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Type of Calibration required	SCREW RING GAUGE MAKE - SIZE CONTROL SIZE - M 33X2 ISO -6g for 2 Nos
Details of Calibration	As per SOW
Eligible Calibration Labs	As per SOW
Calibration location	As per SOW
Timeline for completing the calibration once instrument is handed over by buyer	As per SOW
Reports required	As per SOW

विवरण/ Specification	मूल्य/ Values
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	As per SOW
If any spares are required	No
एडऑन /Addon(s)	

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	100%

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Quantity (input 1)	अतिरिक्त आवश्यकता /Additional Requirement
1	*****	*****Mumbai	1	N/A

Calibration Services - SCREW RING GAUGE MAKE - SIZE CONTROL SIZE - M 8X1point25 ISO -6g For 2 Nos; As Per SOW; As Per SOW; As Per SOW (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Type of Calibration required	SCREW RING GAUGE MAKE - SIZE CONTROL SIZE - M 8X1point25 ISO -6g for 2 Nos
Details of Calibration	As per SOW
Eligible Calibration Labs	As per SOW
Calibration location	As per SOW
Timeline for completing the calibration once instrument is handed over by buyer	As per SOW
Reports required	As per SOW
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	As per SOW
If any spares are required	No

विवरण/ Specification	मूल्य/ Values
एडऑन /Addon(s)	

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	100%

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Quantity (input 1)	अतिरिक्त आवश्यकता /Additional Requirement
1	*****	*****Mumbai	1	N/A

Calibration Services - ELETRONIC WEIGHT BALANCE MAKE- SWISSER RANGE 0-220 Grams Accuracy-0point1 Mg For 2 Nos; As Per SOW; As Per SOW; As Per SOW (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Type of Calibration required	ELETRONIC WEIGHT BALANCE MAKE- SWISSER RANGE 0-220 grams Accuracy-0point1 mg for 2 Nos
Details of Calibration	As per SOW
Eligible Calibration Labs	As per SOW
Calibration location	As per SOW
Timeline for completing the calibration once instrument is handed over by buyer	As per SOW
Reports required	As per SOW
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	As per SOW
If any spares are required	No
एडऑन /Addon(s)	

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	100%

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Quantity (input 1)	अतिरिक्त आवश्यकता /Additional Requirement
1	*****	*****Mumbai	1	N/A

Calibration Services - RESIDUAL FIELD INDICATOR MAKE-DYGLO RANGE- 10 G For 8 Nos; As Per SOW; As Per SOW; As Per SOW (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Type of Calibration required	RESIDUAL FIELD INDICATOR MAKE-DYGLO RANGE- 10 G for 8 Nos
Details of Calibration	As per SOW
Eligible Calibration Labs	As per SOW
Calibration location	As per SOW
Timeline for completing the calibration once instrument is handed over by buyer	As per SOW
Reports required	As per SOW
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	As per SOW
If any spares are required	No
एडऑन /Addon(s)	

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	100%

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Quantity (input 1)	अतिरिक्त आवश्यकता /Additional Requirement
1	*****	*****Mumbai	1	N/A

Calibration Services - ELECTROMAGNETIC YOKE MACHINE MAKE-MAG ELE & ENGG Lifting Capacity 4point5 Kg For 4 Nos; As Per SOW; As Per SOW; As Per SOW (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Type of Calibration required	ELECTROMAGNETIC YOKE MACHINE MAKE-MAG ELE & ENGG Lifting capacity 4point5 Kg for 4 Nos
Details of Calibration	As per SOW
Eligible Calibration Labs	As per SOW
Calibration location	As per SOW
Timeline for completing the calibration once instrument is handed over by buyer	As per SOW
Reports required	As per SOW
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	As per SOW
If any spares are required	No
एडऑन /Addon(s)	

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	100%

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Quantity (input 1)	अतिरिक्त आवश्यकता /Additional Requirement
1	*****	*****Mumbai	1	N/A

Calibration Services - LASER DISTANCE METER MAKE-BOSCH/GLM150C 150 Meter For 4 Nos; As Per SOW; As Per SOW; As Per SOW (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Type of Calibration required	LASER DISTANCE METER MAKE-BOSCH/GLM150C 150 Meter for 4 Nos
Details of Calibration	As per SOW
Eligible Calibration Labs	As per SOW
Calibration location	As per SOW
Timeline for completing the calibration once instrument is handed over by buyer	As per SOW
Reports required	As per SOW
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	As per SOW
If any spares are required	No
एडऑन /Addon(s)	

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	100%

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Quantity (input 1)	अतिरिक्त आवश्यकता /Additional Requirement
1	*****	*****Mumbai	1	N/A

Calibration Services - AIR-BOUND PARTICULATE CONTAMINATION TESTER MAKE-

MXRADY 0-1000 Microgram/m3 For 2 Nos; As Per SOW; As Per SOW; As Per SOW (1)**तकनीकी विशिष्टियाँ /Technical Specifications**

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Type of Calibration required	AIR-BOUND PARTICULATE CONTAMINATION TESTER MAKE-MXRADY 0-1000 microgram/m3 for 2 Nos
Details of Calibration	As per SOW
Eligible Calibration Labs	As per SOW
Calibration location	As per SOW
Timeline for completing the calibration once instrument is handed over by buyer	As per SOW
Reports required	As per SOW
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	As per SOW
If any spares are required	No
एडऑन /Addon(s)	

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	100%

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents**प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Quantity (input 1)	अतिरिक्त आवश्यकता /Additional Requirement
1	*****	*****Mumbai	1	N/A

Calibration Services - SHORE DUROMETER MAKE-Elcometer RAGE-0-100 Shore For 4 Nos; As Per SOW; As Per SOW; As Per SOW (1)**तकनीकी विशिष्टियाँ /Technical Specifications**

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Type of Calibration required	SHORE DUROMETER MAKE-Elcometer RAGE-0-100 Shore for 4 Nos
Details of Calibration	As per SOW
Eligible Calibration Labs	As per SOW
Calibration location	As per SOW
Timeline for completing the calibration once instrument is handed over by buyer	As per SOW
Reports required	As per SOW
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	As per SOW
If any spares are required	No
एडऑन /Addon(s)	

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	100%

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Quantity (input 1)	अतिरिक्त आवश्यकता /Additional Requirement
1	*****	*****Mumbai	1	N/A

Calibration Services - SOUND CALIBRATOR MAKE-Bruel & Kjaer/4231 RANGE-114 DB SPL 1000 Hz For 2 Nos; As Per SOW; As Per SOW; As Per SOW (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Type of Calibration required	SOUND CALIBRATOR MAKE-Bruel & Kjaer/4231 RANGE-114 dB SPL 1000 Hz for 2 Nos

विवरण/ Specification	मूल्य/ Values
Details of Calibration	As per SOW
Eligible Calibration Labs	As per SOW
Calibration location	As per SOW
Timeline for completing the calibration once instrument is handed over by buyer	As per SOW
Reports required	As per SOW
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	As per SOW
If any spares are required	No
एडऑन /Addon(s)	

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	100%

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Quantity (input 1)	अतिरिक्त आवश्यकता /Additional Requirement
1	*****	*****Mumbai	1	N/A

Calibration Services - LOOP/RCD TESTER MAKE-CHAUVIN ARNOUX/CA 6030 RANGE-10 MA-500 MA For 4 Nos; As Per SOW; As Per SOW; As Per SOW (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Type of Calibration required	LOOP/RCD TESTER MAKE-CHAUVIN ARNOUX/CA 6030 RANGE-10 mA-500 mA for 4 Nos
Details of Calibration	As per SOW
Eligible Calibration Labs	As per SOW
Calibration location	As per SOW

विवरण/ Specification	मूल्य/ Values
Timeline for completing the calibration once instrument is handed over by buyer	As per SOW
Reports required	As per SOW
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	As per SOW
If any spares are required	No
एडऑन /Addon(s)	

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	100%

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Quantity (input 1)	अतिरिक्त आवश्यकता /Additional Requirement
1	*****	*****Mumbai	1	N/A

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The buyer can increase or decrease the contract quantity or contract duration up to 50 percent at the time of issue of the contract. However, once the contract is issued, contract quantity or contract duration can only be increased up to 50 percent. Bidders are bound to accept the revised quantity or duration.

2. Buyer Added Bid Specific SLA

File Attachment [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and

conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Any ATC clause in contravention with GeM GTC Clause 4 (xiii)(h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
16. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
17. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

This Bid is governed by the [सामान्य नियम और शर्तें/General Terms and Conditions](#), conditions stipulated in Bid and [Service Level Agreement](#) specific to this Service as provided in the Marketplace. However in case if any condition specified in सामान्य नियम और शर्तें/General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement, then it will over ride the conditions in the General Terms and Conditions.

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला

सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा |/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---