

**बिड दस्तावेज़ / Bid Document**

<b>बिड विवरण/Bid Details</b>	
<b>बिड बंद होने की तारीख/समय /Bid End Date/Time</b>	05-05-2026 15:00:00
<b>बिड खुलने की तारीख/समय /Bid Opening Date/Time</b>	05-05-2026 15:30:00
<b>बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)</b>	180 (Days)
<b>मंत्रालय/राज्य का नाम/Ministry/State Name</b>	Ministry Of Defence
<b>विभाग का नाम/Department Name</b>	Department Of Defence Production
<b>संगठन का नाम/Organisation Name</b>	Mazagon Dock Shipbuilders Limited
<b>कार्यालय का नाम/Office Name</b>	*****
<b>कुल मात्रा/Total Quantity</b>	89
<b>वस्तु श्रेणी /Item Category</b>	Pressure reducer type 250 90 bar , Air pressure regulator type 162 250 200bar , ESM HOISTING RAM , FREQUENCY VARIATOR MDX 16 , FREQUENCY VARIATOR MDX 130 , FREQUENCY VARIATOR MDX 250 , DIGITAL INPUT OUTPUT PCB CP383 CMS , INCLINOMETER , 4 20mA PROTOCOLE CONFIGURATION CARD , Starboard snorkel particular external valve , Port snorkel particular external valve , Port surface external valve , Starboard surface external valve , Internal valve , General snorkel exhaust valve , SEAL Part No MAT513 0109 F03 , SEAL Part No MAT513 0152 , LAUNCHING VALVE , Angular Indicator Box , VIDEO DISTRIBUTION UNIT , INTERFACE AND DISTRIBUTION UNIT , DUAL 100 BOARD , TCC SIMULATOR REGARDING LS and EV TUNINGS
<b>GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS</b>	Pressure reducer type 250/90 bar, Air pressure regulator type 162-250/200bar, ESM HOISTING RAM, FREQUENCY VARIATOR MDX 16, FREQUENCY VARIATOR MDX 130, FREQUENCY VARIATOR MDX 250, DIGITAL INPUT/OUTPUT PCB CP383 CMS, INCLINOMETER, 4-20mA PROTOCOLE CONFIGURATION CARD (Z06), Starboard snorkel particular external valve, Port snorkel particular external valve, Port surface external valve, Starboard surface external valve, Internal valve, General snorkel exhaust valve, SEAL Part No. MAT513-0109 F03, SEAL Part No. MAT513-0152, LAUNCHING VALVE, Angular Indicator Box, VIDEO DISTRIBUTION UNIT (VDU) WITH 4 EYES LIFTING (CS-1), INTERFACE AND DISTRIBUTION UNIT WITH ADAPTED ESI BOARDS, DUAL 100 BOARD, TCC SIMULATOR REGARDING LS & EV TUNINGS
	<b>Searched String:</b> Pressure reducer type 250/90 bar Dial type indicating Pressure Gauges, DRY CHEMICAL

बिड विवरण / Bid Details	POWDER (MONO-AMMONIUM PHOSPHATE BASE WITH MAP 90 % (TYPE -B)), Non Metallic Bellow, Watermist and Caf
	<p>Fire Extinguisher Low Pressure Back Pack Type (V2), Vapour Pressure Dial Type Thermometer -as per EN 13190, Hydraulic Hose, Aneroid Type Sphygmomanometer conforming to IS 7652, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Watermist and Caf Fire Extinguisher High Pressure Backpack Type (V3), High Pressure Breathing Air Compressor Motor Driven as per IS 15879</p> <p><b>Searched String:</b> Air pressure regulator type 162-250/200bar</p> <p>Acetylene Pressure Regulator as per IS 6901, Surveillance Drone / Unmanned Aerial Vehicle (V2) (Defence Forces - Navy, Army and Air Force), Natural Gas Pressure Regulator, Watermist and Caf Fire Extinguisher Low Pressure Back Pack Type (V2), Pressure Regulator For Gases, High Pressure Breathing Air Compressor Motor Driven as per IS 15879, Air Circulator Type Electric Fan and Regulator (V2) Conforming To IS 2997, Watermist and Caf Fire Extinguisher Low Pressure Motorcycle Mounted Type (V2), Modular Piano Type Domestic Fan Regulator Conforming To IS 11037, Element Filter Compressor</p> <p><b>Searched String:</b> ESM HOISTING RAM</p> <p>Random Access Memory (RAM) Card (V2), Water Swivel and Hoisting Plug (CMPDI), Esmolol Injection, Portable Ramps Conforming to IS 18560, ODOP Tool Kit for Patchwork ke Sath Aplic Work or Zari Patchwork of Rampur District, Uttar Pradesh, India, ODOP Tool Kit for Mentha Utpad of Rampur District, Uttar Pradesh, India, Tablet Computer (V2), Smartphones (V3), Thin Client Computers (V2), NIGER (RAMTIL) Seeds</p> <p><b>Searched String:</b> FREQUENCY VARIATOR MDX 16</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> FREQUENCY VARIATOR MDX 130</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> FREQUENCY VARIATOR MDX 250</p> <p>Frequency meter - Analog (Panel Meter), Steel Tubes used for Water Wells (V2) as per IS 4270</p> <p><b>Searched String:</b> DIGITAL INPUT/OUTPUT PCB CP383 CMS</p> <p>Soil Moisture Sensor, Handheld Digital Infrared Thermometer, Pressure Sensor, Cheque Scanner</p> <p><b>Searched String:</b> INCLINOMETER</p> <p>Digital Electronic Spirit Level (Digi level or Digital inclinometer)</p> <p><b>Searched String:</b> 4-20mA PROTOCOLE CONFIGURATION CARD (Z06)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p>

बिड विवरण / Bid Details	<b>Searched String:</b> Starboard snorkel particular external Valve
<p><b>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</b></p>	<p>Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services conforming to IS 781</p> <p><b>Searched String:</b> Port snorkel particular external valve</p> <p>USB Type External Hard Disk Drive (V2), Optical Storage Media Writer (DVD Writer), Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services conforming to IS 781</p> <p><b>Searched String:</b> Port surface external valve</p> <p>Non - Smooth External Surface Pipe, Type B as per IS 16098, Portable Surface Roughness Tester, Portable or Mobile Surface Roughness Tester, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, USB Type External Hard Disk Drive (V2), Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services conforming to IS 781, Optical Storage Media Writer (DVD Writer)</p> <p><b>Searched String:</b> Starboard surface external valve</p> <p>Non - Smooth External Surface Pipe, Type B as per IS 16098, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services conforming to IS 781</p> <p><b>Searched String:</b> Internal valve</p> <p>Internal Dial Caliper Gauge, HoleTest Micrometer(BHEL), Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Internal Micrometer as per IS 2966, Needle Valve, Internal Storage Device (SSD/HDD) (V2), Sequence valve, Walk in Cooler, Control Valve Pneumatic, CPVC Ball Valve</p> <p><b>Searched String:</b> General snorkel exhaust valve</p> <p>General Purpose Lead-Acid Batteries (Valve Regulated Types) Conforming To IS 16220 (Part 1), Diaphragm type valves for general purpose - IS 11791, General Purpose Ball Valves conforming to IS 9890</p> <p><b>Searched String:</b> SEAL Part No. MAT513-0109 F03</p> <p>Secondary Sealed Cells and Batteries For Portable Application - Nickel Cadmium Conforming To IS 16048 (Part 1), Secondary Sealed Cells and Batteries For Portable Application - Nickel Metal Hydride Conforming To IS 16048 (Part 2), Shade Nets for Agriculture and Horticulture as per IS 16008 (Part 1) (Made from Tape Yarns), Shade Nets for Agriculture and Horticulture as per IS 16008 (Part 2) (Shade Nets Made from Mono Filament Yarns), Plasticized PVC Tapes with Non-Thermosetting Adhesive for electrical purpose (V2) ISI marked to IS 7809 (Part 3/ Sec1), Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1)</p> <p><b>Searched String:</b> SEAL Part No. MAT513-0152</p> <p>Secondary Sealed Cells and Batteries For Portable Application - Nickel Cadmium Conforming To IS 16048 (Part 1), Secondary Sealed Cells and Batteries For Portable</p>

बिड विवरण / Bid Details	Application - Nickel Metal Hydride Conforming To IS 16048 (Part 2), Shade Nets for Agriculture and Horticulture as per
	<p>IS 16008 (Part 1) (Made from Tape Yarns), Shade Nets for Agriculture and Horticulture as per IS 16008 (Part 2) (Shade Nets Made from Mono Filament Yarns), Plasticized PVC Tapes with Non-Thermosetting Adhesive for electrical purpose (V2) ISI marked to IS 7809 (Part 3/ Sec1), Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1)</p> <p><b>Searched String:</b> LAUNCHING VALVE</p> <p>Needle Valve, Sequence valve, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Control Valve Pneumatic, CPVC Ball Valve, Copper Alloy Check Valve For Waterworks Purpose (V2) Conforming to IS 778, Directional Control Valve, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Gauge Valve - BHEL, Liquid Offtake Valve</p> <p><b>Searched String:</b> Angular Indicator Box</p> <p>Phenolphthalein indicator, Universal Indicator, Phase Indicator, Muffle/Box Furnace (V2), Bromocresol Green Indicator, THICKNESS MEASURING GAUGE, Cresol Red Indicator, File/Folder (V3), Jumbo Process Indicator, Anaerobic Indicator Strip</p> <p><b>Searched String:</b> VIDEO DISTRIBUTION UNIT (VDU) WITH 4 EYES LIFTING (CS-1)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> INTERFACE AND DISTRIBUTION UNIT WITH ADAPTED ESI BOARDS</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> DUAL 100 BOARD</p> <p>Trackside Indicator Boards and Signages as per IRICEN Manual, Modular Table / Meeting Table / Centre Table (V2), Dual Chamber Implantable Pacemaker, Inverted Research Microscope as per IS 5204, Dual Chamber Temporary Pacemaker, Dry Erase Writing Boards (V3), Dual Headed Gamma Camera, Impression Board, Computer Table (V3), Combination Board</p> <p><b>Searched String:</b> TCC SIMULATOR REGARDING LS &amp; EV TUNINGS</p> <p>Category not available on GeM for the text string uploaded by the buyer</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / <b>Relevant Categories selected for notification</b>	<ul style="list-style-type: none"> <li>• Pressure Sensor</li> </ul>
बीओक्यू शीर्षक / <b>BOQ Title</b>	Procurement of B and D spare
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/ <b>MSE Relaxation for Years of Experience and Turnover</b>	No

<b>बिड विवरण/Bid Details</b>	
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / <b>Startup Relaxation for Years of Experience and Turnover</b>	No
विक्रेता से मांगे गए दस्तावेज़/ <b>Document required from seller</b>	Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ में है/ <b>Do you want to show documents uploaded by bidders to all bidders participated in bid?</b>	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / <b>Minimum number of bids required to disable automatic bid extension</b>	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / <b>Number of days for which Bid would be auto-extended</b>	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / <b>Number of Auto Extension count</b>	3
बिड से रिवर्स नीलामी सक्रिय किया/ <b>Bid to RA enabled</b>	No
बिड का प्रकार/ <b>Type of Bid</b>	Single Packet Bid
प्राथमिक उत्पाद श्रेणी/ <b>Primary product category</b>	Pressure reducer type 250 90 bar
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / <b>Time allowed for Technical Clarifications during technical evaluation</b>	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ <b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
<b>Payment Timelines</b>	Payments shall be made to the Seller within <b>25</b> days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/ <b>Evaluation Method</b>	Total value wise evaluation
मध्यस्थता खंड/ <b>Arbitration Clause</b>	No
सुलह खंड/ <b>Mediation Clause</b>	No

#### ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

#### ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	38

(a).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

#### लाभार्थी /Beneficiary :

Company  
Mazagon Dock Shipbuilders Limited, Dock yard road Mumbai 400010  
(Mazagaon Dock Shipbuilders Limited)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

#### एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	No
---	----

#### एमएसई के लिए सक्षम प्राधिकारी का विवरण:/Details of the Competent Authority for MSE

सक्षम प्राधिकारी का नाम/Name of Competent Authority	DPIIT
सक्षम प्राधिकारी का पदनाम/Designation of Competent Authority	DPIIT
सक्षम प्राधिकारी का कार्यालय/विभाग/प्रभाग/Office / Department / Division of Competent Authority	P-45021/2/2017-PP(BE-II)-Part-4Vol-II
सीए अनुमोदन संख्या/CA Approval Number	48466
सक्षम प्राधिकारी अनुमोदन तिथि/Competent Authority Approval Date	13-04-2026
सक्षम प्राधिकारी द्वारा प्रदान की गई स्वीकृति का संक्षिप्त विवरण//Brief Description of the Approval Granted by Competent Authority	LOCAL CONTENT DECLARATION IS EXEMPTED AS PER PPI ORDER 2017 NO. P45021/2/2017-PP(B.E-II)-Part(4) vol.II DT.19.07.2024

Competent Authority Approval for not opting Micro and Small Enterprises Preference : [View Document](#)

#### एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

#### एमआईआई के लिए सक्षम प्राधिकारी का विवरण:/Details of the Competent Authority for MII

सक्षम प्राधिकारी का नाम/Name of Competent Authority	DPIIT
सक्षम प्राधिकारी का पदनाम/Designation of Competent Authority	DPIIT
सक्षम प्राधिकारी का कार्यालय/विभाग/प्रभाग/Office / Department / Division of Competent Authority	P-45021/2/2017-PP(BE-II)-Part-4Vol-II
सीए अनुमोदन संख्या/CA Approval Number	48433
सक्षम प्राधिकारी अनुमोदन तिथि/Competent Authority Approval Date	13-04-2026
सक्षम प्राधिकारी द्वारा प्रदान की गई स्वीकृति का संक्षिप्त विवरण/Brief Description of the Approval Granted by Competent Authority	LOCAL CONTENT DECLARATION IS EXEMPTED AS PER PPI ORDER 2017 NO. P45021/2/2017-PP(B.E-II)-Part(4) vol.II DT.19.07.2024

Competent Authority Approval for not opting Make In India Preference : [View Document](#)

### Single Tender

Single Tender Applicable	Yes
Reason	The competent authority in the Ministry or Department has certified that the demand is urgent, and any additional expenditure involved by not procuring through advertised tender enquiry is justified in view of urgency. The Ministry or Department has placed on record the nature of the urgency and reasons why the procurement could not be anticipated.
List of Seller Organization for participation	NAVAL GROUP INDIA PRIVATE LIMITED

1. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

### Pressure Reducer Type 250 90 Bar

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	5	540

**Air Pressure Regulator Type 162 250 200bar**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	15	540

**ESM HOISTING RAM**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	1	540

### FREQUENCY VARIATOR MDX 16

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	3	540

### FREQUENCY VARIATOR MDX 130

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	3	540

## FREQUENCY VARIATOR MDX 250

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	2	540

## DIGITAL INPUT OUTPUT PCB CP383 CMS

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	5	540

## INCLINOMETER

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
-------------------------------	---------------------------

**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	2	540

**4 20mA PROTOCOLE CONFIGURATION CARD****तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	1	540

**Starboard Snorkel Particular External Valve****तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	1	540

**Port Snorkel Particular External Valve**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	1	540

**Port Surface External Valve**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	2	540

### Starboard Surface External Valve

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	2	540

### Internal Valve

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	5	540

## General Snorkel Exhaust Valve

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	2	540

## SEAL Part No MAT513 0109 F03

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	10	540

## SEAL Part No MAT513 0152

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
-------------------------------	---------------------------

**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	10	540

**LAUNCHING VALVE****तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	6	180

**Angular Indicator Box****तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	6	180

**VIDEO DISTRIBUTION UNIT**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	2	270

**INTERFACE AND DISTRIBUTION UNIT**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	2	270

## DUAL 100 BOARD

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	1	270

## TCC SIMULATOR REGARDING LS And EV TUNINGS

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	2	270

## क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/**Buyer Added Bid Specific Terms and Conditions**

### 1. **Generic**

**Bidder financial standing:** The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

### 2. **Generic**

**OPTION CLAUSE:** The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 50 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 50% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

### 3. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

## अस्वीकरण/**Disclaimer**

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer, is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless

otherwise allowed by the applicable GeM GTC.

13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.**

**For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.**

**The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:**

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

**All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.**

**This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.**

**However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.**

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---