

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	28-02-2026 14:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	28-02-2026 14:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Defence
विभाग का नाम/Department Name	Department Of Defence Production
संगठन का नाम/Organisation Name	Mazagon Dock Shipbuilders Limited
कार्यालय का नाम/Office Name	*****
कुल मात्रा/Total Quantity	89750

बिड विवरण/Bid Details**वस्तु श्रेणी /Item Category**

89850_Control Cables_21001_Ref Tech Spec sr no 10 ,
89851_Control Cables_21001_Ref Tech Spec sr no 20 ,
89852_Control Cables_21001_Ref Tech Spec sr no 30 ,
89853_Control Cables_21001_Ref Tech Spec sr no 40 ,
89854_Control Cables_21001_Ref Tech Spec sr no 50 ,
89855_Control Cables_21001_Ref Tech Spec sr no 60 ,
89856_Control Cables_21001_Ref Tech Spec sr no 70 ,
89857_Control Cables_21001_Ref Tech Spec sr no 80 ,
89858_Control Cables_21001_Ref Tech Spec sr no 90 ,
89859_Control Cables_21001_Ref Tech Spec sr no 100 ,
89865_Control Cables_21001_Ref Tech Spec sr no 110 ,
78380_Control Cables_21001_Ref Tech Spec sr no 120 ,
78381_Control Cables_21001_Ref Tech Spec sr no 130 ,
85570_Control Cables_21001_Ref Tech Spec sr no 140 ,
83922_Control Cables_21001_Ref Tech Spec sr no 150 ,
83923_Control Cables_21001_Ref Tech Spec sr no 160 ,
89851_Control Cables_21002_Ref Tech Spec sr no 170 ,
89852_Control Cables_21002_Ref Tech Spec sr no 180 ,
89853_Control Cables_21002_Ref Tech Spec sr no 190 ,
89854_Control Cables_21002_Ref Tech Spec sr no 200 ,
89855_Control Cables_21002_Ref Tech Spec sr no 210 ,
89856_Control Cables_21002_Ref Tech Spec sr no 220 ,
89857_Control Cables_21002_Ref Tech Spec sr no 230 ,
89858_Control Cables_21002_Ref Tech Spec sr no 240 ,
89859_Control Cables_21002_Ref Tech Spec sr no 250 ,
89865_Control Cables_21002_Ref Tech Spec sr no 260 ,
78380_Control Cables_21002_Ref Tech Spec sr no 270 ,
78381_Control Cables_21002_Ref Tech Spec sr no 280 ,
85570_Control Cables_21002_Ref Tech Spec sr no 290 ,
83922_Control Cables_21002_Ref Tech Spec sr no 300 ,
83923_Control Cables_21002_Ref Tech Spec sr no 310 ,
89851_Control Cables_21003_Ref Tech Spec sr no 320 ,
89852_Control Cables_21003_Ref Tech Spec sr no 330 ,
89853_Control Cables_21003_Ref Tech Spec sr no 340 ,
89854_Control Cables_21003_Ref Tech Spec sr no 350 ,
89855_Control Cables_21003_Ref Tech Spec sr no 360 ,
89856_Control Cables_21003_Ref Tech Spec sr no 370 ,
89857_Control Cables_21003_Ref Tech Spec sr no 380 ,
89858_Control Cables_21003_Ref Tech Spec sr no 390 ,
89859_Control Cables_21003_Ref Tech Spec sr no 400 ,
89865_Control Cables_21003_Ref Tech Spec sr no 410 ,
78380_Control Cables_21003_Ref Tech Spec sr no 420 ,
78381_Control Cables_21003_Ref Tech Spec sr no 430 ,
85570_Control Cables_21003_Ref Tech Spec sr no 440 ,
83922_Control Cables_21003_Ref Tech Spec sr no 450 ,
83923_Control Cables_21003_Ref Tech Spec sr no 460 ,
89851_Control Cables_21004_Ref Tech Spec sr no 470 ,
89853_Control Cables_21004_Ref Tech Spec sr no 480 ,
89854_Control Cables_21004_Ref Tech Spec sr no 490 ,
89855_Control Cables_21004_Ref Tech Spec sr no 500 ,
89856_Control Cables_21004_Ref Tech Spec sr no 510 ,
89857_Control Cables_21004_Ref Tech Spec sr no 520 ,
89858_Control Cables_21004_Ref Tech Spec sr no 530 ,
89859_Control Cables_21004_Ref Tech Spec sr no 540 ,
89865_Control Cables_21004_Ref Tech Spec sr no 550 ,
78380_Control Cables_21004_Ref Tech Spec sr no 560 ,
78381_Control Cables_21004_Ref Tech Spec sr no 570 ,
85570_Control Cables_21004_Ref Tech Spec sr no 580 ,
83922_Control Cables_21004_Ref Tech Spec sr no 590 ,
83923_Control Cables_21004_Ref Tech Spec sr no 600

बिड विवरण/Bid Details	
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	Power and Control Cable
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Cable tray Systems and Cable ladder systems (Overhead power Cable tray), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Power Cable Fault Locator, Thyristor Power Unit, Power Generator - DG Set (up to 900 KVA), Cable Joint Kit Suitable for Cables Up to and Including 33 kV (V2), Power Control Center Panel (PCC Panel) as per IS 11717, Cable Termination Kit Suitable for Cables Up to and Including 33 kV (V2), Universal Power Flow Controller, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1)
बीओक्यू शीर्षक /BOQ Title	Power and Control Cables
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination

बिड विवरण/Bid Details	
क्रेता के लिए उपलब्ध आईटीसी/ITC available to buyer	Yes
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	89850_Control Cables_21001_Ref Tech Spec sr no 10
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Payment Timelines	Payments shall be made to the Seller within 15 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	42

(a). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

Deputy Manager
Mumbai, Department of Defence Production, Mazagon Dock Shipbuilders Limited, Ministry of Defence
(Bhuvnesh Kalwar)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	100
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	100

Limited Tender

Limited Tender Applicable	Yes
Reason	The competent authority in the Ministry or Department has certified that the demand is urgent, and any additional expenditure involved by not procuring through advertised tender enquiry is justified in view of urgency. The Ministry or Department has placed on record the nature of the urgency and reasons why the procurement could not be anticipated.
List of Seller Organization for participation	*****, ***** , *****

1. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local

content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

2. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 100% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

4. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

If the buyer has mentioned MSE purchase preference in ATC then service provider is required to upload necessary documents for MSE purchase preference for verification by the buyer during evaluation.

89850_Control Cables_21001_Ref Tech Spec Sr No 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	400	90

89851_Control Cables_21001_Ref Tech Spec Sr No 20

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	400	90

89852_Control Cables_21001_Ref Tech Spec Sr No 30

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	250	90

89853_Control Cables_21001_Ref Tech Spec Sr No 40

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	250	90

89854_Control Cables_21001_Ref Tech Spec Sr No 50

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	250	90

89855_Control Cables_21001_Ref Tech Spec Sr No 60

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	250	90

89856_Control Cables_21001_Ref Tech Spec Sr No 70

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	500	90

89857_Control Cables_21001_Ref Tech Spec Sr No 80

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	250	90

89858_Control Cables_21001_Ref Tech Spec Sr No 90

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	1000	90

89859_Control Cables_21001_Ref Tech Spec Sr No 100

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	1000	90

89865_Control Cables_21001_Ref Tech Spec Sr No 110

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	250	90

78380_Control Cables_21001_Ref Tech Spec Sr No 120

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	500	90

78381_Control Cables_21001_Ref Tech Spec Sr No 130

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	1500	90

85570_Control Cables_21001_Ref Tech Spec Sr No 140

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	2000	90

83922_Control Cables_21001_Ref Tech Spec Sr No 150

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	4000	90

83923_Control Cables_21001_Ref Tech Spec Sr No 160

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	10000	90

89851_Control Cables_21002_Ref Tech Spec Sr No 170

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	400	90

89852_Control Cables_21002_Ref Tech Spec Sr No 180

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	250	90

89853_Control Cables_21002_Ref Tech Spec Sr No 190

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	250	90

89854_Control Cables_21002_Ref Tech Spec Sr No 200

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	250	90

89855_Control Cables_21002_Ref Tech Spec Sr No 210

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	250	90

89856_Control Cables_21002_Ref Tech Spec Sr No 220

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	500	90

89857_Control Cables_21002_Ref Tech Spec Sr No 230

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	250	90

89858_Control Cables_21002_Ref Tech Spec Sr No 240

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	1000	90

89859_Control Cables_21002_Ref Tech Spec Sr No 250

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	1000	90

89865_Control Cables_21002_Ref Tech Spec Sr No 260

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	250	90

78380_Control Cables_21002_Ref Tech Spec Sr No 270

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	500	90

78381_Control Cables_21002_Ref Tech Spec Sr No 280

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	1500	90

85570_Control Cables_21002_Ref Tech Spec Sr No 290

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	2000	90

83922_Control Cables_21002_Ref Tech Spec Sr No 300

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	4000	90

83923_Control Cables_21002_Ref Tech Spec Sr No 310

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	10000	90

89851_Control Cables_21003_Ref Tech Spec Sr No 320

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	400	90

89852_Control Cables_21003_Ref Tech Spec Sr No 330

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	250	90

89853_Control Cables_21003_Ref Tech Spec Sr No 340

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	250	90

89854_Control Cables_21003_Ref Tech Spec Sr No 350

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	250	90

89855_Control Cables_21003_Ref Tech Spec Sr No 360

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	250	90

89856_Control Cables_21003_Ref Tech Spec Sr No 370

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	500	90

89857_Control Cables_21003_Ref Tech Spec Sr No 380

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	250	90

89858_Control Cables_21003_Ref Tech Spec Sr No 390

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	1000	90

89859_Control Cables_21003_Ref Tech Spec Sr No 400

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	1000	90

89865_Control Cables_21003_Ref Tech Spec Sr No 410

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	250	90

78380_Control Cables_21003_Ref Tech Spec Sr No 420

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	500	90

78381_Control Cables_21003_Ref Tech Spec Sr No 430

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	1500	90

85570_Control Cables_21003_Ref Tech Spec Sr No 440

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	2000	90

83922_Control Cables_21003_Ref Tech Spec Sr No 450

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	4000	90

83923_Control Cables_21003_Ref Tech Spec Sr No 460

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	10000	90

89851_Control Cables_21004_Ref Tech Spec Sr No 470

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	400	120

89853_Control Cables_21004_Ref Tech Spec Sr No 480

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	250	120

89854_Control Cables_21004_Ref Tech Spec Sr No 490

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	250	120

89855_Control Cables_21004_Ref Tech Spec Sr No 500

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	250	120

89856_Control Cables_21004_Ref Tech Spec Sr No 510

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	500	120

89857_Control Cables_21004_Ref Tech Spec Sr No 520

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	250	120

89858_Control Cables_21004_Ref Tech Spec Sr No 530

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	1000	120

89859_Control Cables_21004_Ref Tech Spec Sr No 540

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	1000	120

89865_Control Cables_21004_Ref Tech Spec Sr No 550

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	250	120

78380_Control Cables_21004_Ref Tech Spec Sr No 560

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	500	120

78381_Control Cables_21004_Ref Tech Spec Sr No 570

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	1500	120

85570_Control Cables_21004_Ref Tech Spec Sr No 580

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	2000	120

83922_Control Cables_21004_Ref Tech Spec Sr No 590

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	4000	120

83923_Control Cables_21004_Ref Tech Spec Sr No 600

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Mumbai	10000	120

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

2. Generic

Buyer Organization specific Integrity Pact shall have to be complied by all bidders. Bidders shall have to upload scanned copy of signed integrity pact as per Buyer organizations policy along with bid. [Click here to view the file](#)

3. **Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 50 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 50% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

4. **Forms of EMD and PBG**

Bidders can also submit the EMD with Payment online through RTGS / internet banking in Beneficiary name

MAZAGON DOCK SHIPBUILDERS LTD
Account No.
11079519138
IFSC Code
SBIN0006070
Bank Name
STATE BANK OF INDIA
Branch address
STATE BANK OF INDIA, COMMERCIAL BRANCH, FORT, MUM BAI-400023

Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid.

5. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/**Disclaimer**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.

10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---

ADDITIONAL TERMS AND CONDITIONS (ATC)

Item: Power & Control Cables for Y-21001 to 21004 of Project 7500 DWT Multi-Purpose Dry Cargo Vessel

- 1) **Pricing:** - Price are firm and fixed till delivery of material to MDL Stores.
- 2) Items are inseparable in nature.
- 3) **Pre-Qualification Criteria:** Not Applicable
- 4) **Technical requirement:** Power and Control Cables are to be supplied as per TSP No. DR/EL/MPV/5133/03.

5) **STANDARD LENGTH:** -

- i) The drum length of the cables is to be 250m, with tolerance of $\pm 5\%$.
- ii) Total quantity supplied is to be within $\pm 1\%$ tolerance of the ordered quantity.
- iii) The cables are to be supplied, sealed and wound on standard wooden drum each clearly marked to indicate:
 - a) Name of the manufacturer.
 - b) Pattern Type No. of the cable.
 - c) Size and length of the cable.
 - d) MDL Purchase Order No. & date.
 - e) Year of manufacture
 - f) DNV Product certificate no.
 - g) Gross weight
- iv) Cable ends on the drum should be accessible so that continuity/insulation checking can be done without unwinding the cables.

Note: This tolerance limit is given only for acceptance/rejection of item during inspection, not for the payment purpose. However, payment shall be made as per actual received quantity, subject to not exceeding quantity indicated in tender against each item i.e. if quantity is received & accepted beyond given quantity in tender, then payment for extra quantity shall not be made.

- 6) **Earnest Money Deposit(EMD):** Not Applicable
- 7) **Delivery schedule:** Delivery date of items shall be as indicated in GeM Tender considering Technical Particulars and QAP submission within 02 weeks of PO placement and Technical Particulars and QAP approval within 02 weeks of submission.

Part Delivery: Part Supply shall be accepted.

Note: If any delay is there in approval of Technical particular/QAP and same is not attributable to the vendor, then corresponding days will be added in contractual delivery period.

- 8) **Liquidated Damages (LD):** LD clause shall be applicable as per GeM terms and conditions.
- 9) **Performance Security:** Bidders shall ensure that the validity of performance security is there as per Guarantee/Warranty requirement plus two months. In case any delay in delivery, vendor shall extend the validity of performance security suitably.

- 10) Guarantee/Warranty Requirement:** Goods supplied shall be guaranteed for a period of 36 months from the date of receipt of materials at MDL.

All other terms and conditions for warranty/Guarantee as per GeM.

- 11) INSPECTION:** Inspection shall be done as per TSP clause no 8.

Inspection Agency: - Internal QC department of the supplier

Receipt Inspection: - MDL

All type testing charges/certification/inspection charges to be borne by the vendor.

- 12) Integrity Pact (IP):** The Integrity pact essentially envisages the agreement between prospective vendors / bidders & buyers committing the person/officials of both the parties not to exercise any corrupt influence on any aspects of the contract. Only those vendors/bidders who enter into such an integrity pact with the buyer would be competent to participate in the bid. Therefore, non-acceptance and non-submission of IP by the vendors/bidders shall be liable for rejection and no further communication in this regard will be entertained by MDL. The format of integrity Pact is enclosed with tender documents. IP shall be submitted on plain paper.

The 'Integrity pact' dully filled as per enclosed format to be submitted along with the offer. Bidders to ensure that each page of Integrity pact shall be duly signed by the bidder. Non-submission of Integrity Pact by the bidders duly signed on each page along with Part-I bid shall be liable for rejection. Bidders shall send original IP immediately to MDL post submission of bid.

Independent External Monitors (IEM): The following Independent External Monitors (IEMs) will have the power to access the entire project document and examine any complaints received by him. In case of any change in IEMs it will be informed accordingly.

For any administrative enquires and clarification on tender, bidders shall contact Commercial Dealing Executive. In case of issues related to Integrity Pact (IP) please contact Independent External Monitor (IEM) whose details are as below:

i. Mr. M N Krishnamurthy IPS(Retd)
E-mail ID - krishnamurthymn19@gmail.com

ii. Mr. Deepak Kashyap, IRTS (Retd)
E-mail ID - deepakkashyapnd02@gmail.com

- 13) Indemnification:** The Bidder / Supplier / Contractor, his employees, licensees, agents or Sub-Supplier / Subcontractor, while on site of the Purchaser for the purpose of this contract, indemnifies the Purchaser against direct damage and/or injury to the property and/or the person of the Purchaser or that of Purchaser's employees, agents, Sub-Contractors / Suppliers occurring and to the extent caused by the negligence of the Bidder / Supplier / Contractor, his employees, licensees, agents or Subcontractor by making good such damages to the property, or compensating personal injury and the total liability for such damages or injury shall be as mutually discussed and agreed to.

- 14) Purchaser's Property:** All property (such as materials, drawings, documents etc) issued by the Purchaser or any other individual or firm on behalf of the Purchaser in connection with the contract shall remain confidential, being the property of the Purchaser and the Bidder/Supplier/Contractor shall undertake to return all such property so issued and will be responsible for any or all loss

thereof and damage thereto resulting from whatever causes and shall reimburse the Purchaser the full amount of loss and damage.

15) Issuance of e-Invoice by Vendor:

- (a) Vendors, whose aggregate turnover in any preceding financial year from 2017-18 onwards, exceeds Rs. 10 Crores, as per GST Act, will have to issue an e-Invoice with a QR code and invoice registration no (IRN). However, this rule will not apply to Micro with Udyam Registration No. (URN) as their turnover is less than Rs 5Cr.
- (b) Whenever GST is applicable, payment will be released against e-Invoice, or Invoice accompanied with vendor's self-declaration that" we do not fall under the category of registered persons notified under Rule 48(4) of the central GST Rule 2017 and we are not required to comply with e-invoicing provisions under GST Act, as our aggregate turnover in any preceding financial year from 2017-18 onward has not exceeded Rs5 Cr as per GST Act".

16) Other terms & conditions:

- (a) Offer of the bidders who are debarred by MDL or issued tender holiday by MDL shall be rejected.
- (b) **Consignee:** Material scheduled for delivery are to be delivered at MDL, Anik Chembur, Cable Store.

17) Contact details: In case of any clarifications regarding specification, bidders are requested to contact the following person, before the closing date of the tender.

Department	Name of Executives	Contact No	Email
Technical	Mr. Santosh Sitaram DGM/PE(D-Egg)	022 2376 3025	ssitaram@mazdock.com
	Mr. Vijay Bhadola, DM (Design-Elec & Weapon)	022 2376 3385	vbhadola@mazdock.com
Commercial	Mr. Satish Chandra DGM/PE(C-P17A)	022 2376 2747	schandra@mazdock.com
	Mr. Bhuvnesh Kalwar DM (C-P17A)	022 2376 2738	bkalwar@mazdock.com

Note:

- 1. Bidder not complying with the tender terms will fall under liable for rejection or as stated therein.

Technical Specification

Sl.no	Material/Service Details	Quantity/unit/Delivery date/Account assignment
10	Material Number: -150000000000089850 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - DNV_P 3x70+E	400 M Y-21001-1
20	Material Number: -150000000000089851 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - DNV_P 3x70/F	400 M Y-21001-1
30	Material Number: -150000000000089852 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - DNV_P 3x6	250 M Y-21001-1
40	Material Number: -150000000000089853 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - DNV_P 4x4	250 M Y-21001-1
50	Material Number: -150000000000089854 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - DNV_P 4x6	250 M Y-21001-1
60	Material Number: -150000000000089855 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - DNV_P 1x240	250 M Y-21001-1
70	Material Number: -150000000000089856 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - DNV_P 3x25	500 M Y-21001-1
80	Material Number: -150000000000089857 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - VFD Cable for Mooring Winch 3x25 (Power)+3x10 sqmm (Ground)	250 M Y-21001-1
90	Material Number: -150000000000089858 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - Marine Grade CAT 6a S/FTP	1000 M Y-21001-1
100	Material Number: -150000000000089859 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - Marine Grade CAT 7S/FTP	1000 M Y-21001-1

110	Material Number: -150000000000089865 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - CAN-BUS 2x2x0.75 ohm	250 M Y-21001-1
120	Material Number: -150000000000078380 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - DNV_P 3x4/F	500 M Y-21001-1
130	Material Number: -150000000000078381 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - DNV_P 3x2.5/F	1500 M Y-21001-1
140	Material Number: -150000000000085570 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - DNV_P 2x2.5/F	2000 M Y-21001-1
150	Material Number: -150000000000083922 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - DNV_C 1x2x0.75/F	4000 M Y-21001-1
160	Material Number: -150000000000083923 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - DNV_C 2x2x0.75/F	10000 M Y-21001-1
170	Material Number: -150000000000089851 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - DNV_P 3x70/F	400 M Y-21002-1
180	Material Number: -150000000000089852 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - DNV_P 3x6	250 M Y-21002-1
190	Material Number: -150000000000089853 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - DNV_P 4x4	250 M Y-21002-1
200	Material Number: -150000000000089854 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - DNV_P 4x6	250 M Y-21002-1
210	Material Number: -150000000000089855 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - DNV_P 1x240	250 M Y-21002-1

220	Material Number: -150000000000089856 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - DNV_P 3x25	500 M Y-21002-1
230	Material Number: -150000000000089857 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - VFD Cable for Mooring Winch 3x25(Power)+3x10 sqmm (Ground)	250 M Y-21002- 1
240	Material Number: -150000000000089858 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - Marine Grade CAT 6a S/FTP	1000 M Y-21002-1
250	Material Number: -150000000000089859 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - Marine Grade CAT 7S/FTP	1000 M Y-21002-1
260	Material Number: -150000000000089865 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - CAN-BUS 2x2x0.75 ohm	250 M Y-21002-1
270	Material Number: -150000000000078380 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - DNV_P 3x4/F	500 M Y-21002-1
280	Material Number: -150000000000078381 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - DNV_P 3x2.5/F	1500 M Y-21002-1
290	Material Number: -150000000000085570 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - DNV_P 2x2.5/F	2000 M Y-21002-1
300	Material Number: -150000000000083922 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - DNV_C 1x2x0.75/F	4000 M Y-21002-1
310	Material Number: -150000000000083923 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - DNV_C 2x2x0.75/F	10000 M Y-21002-1
320	Material Number: -150000000000089851 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - DNV_P 3x70/F	400 M Y-21003-1

330	Material Number: -150000000000089852 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - DNV_P 3x6	250 M Y-21003-1
340	Material Number: -150000000000089853 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - DNV_P 4x4	250 M Y-21003-1
350	Material Number: -150000000000089854 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - DNV_P 4x6	250 M Y-21003-1
360	Material Number: -150000000000089855 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - DNV_P 1x240	250 M Y-21003-1
370	Material Number: -150000000000089856 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - DNV_P 3x25	500 M Y-21003-1
380	Material Number: -150000000000089857 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - VFD Cable for Mooring Winch 3x25 (Power)+3x10 sqmm (Ground)	250 M Y-21003-1
390	Material Number: -150000000000089858 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - Marine Grade CAT 6a S/FTP	1000 M Y-21003-1
400	Material Number: -150000000000089859 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - Marine Grade CAT 7S/FTP	1000 M Y-21003-1
410	Material Number: -150000000000089865 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - CAN-BUS 2x2x0.75 ohm	250 M Y-21003-1
420	Material Number: -150000000000078380 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - DNV_P 3x4/F	500 M Y-21003-1
430	Material Number: -150000000000078381 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - DNV_P 3x2.5/F	1500 M Y-21003-1

440	Material Number: -150000000000085570 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - DNV_P 2x2.5/F	2000 M Y-21003-1
450	Material Number: -150000000000083922 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - DNV_C 1x2x0.75/F	4000 M Y-21003-1
460	Material Number: -150000000000083923 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - DNV_C 2x2x0.75/F	10000 M Y-21003-1
470	Material Number: -150000000000089851 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - DNV_P 3x70/F	400 M Y-21004-1
480	Material Number: -150000000000089853 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - DNV_P 4x4	250 M Y-21004-1
490	Material Number: -150000000000089854 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - DNV_P 4x6	250 M Y-21004-1
500	Material Number: -150000000000089855 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - DNV_P 1x240	250 M Y-21004-1
510	Material Number: -150000000000089856 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - DNV_P 3x25	500 M Y-21004-1
520	Material Number: -150000000000089857 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - VFD Cable for Mooring Winch 3x25 (Power)+3x10 sqmm (Ground)	250 M Y-21004-1
530	Material Number: -150000000000089858 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - Marine Grade CAT 6a S/FTP	1000 M Y-21004-1
540	Material Number: -150000000000089859 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - Marine Grade CAT 7S/FTP	1000 M Y-21004-1

550	Material Number: -150000000000089865 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - CAN-BUS 2x2x0.75 ohm	250 M Y-21004-1
560	Material Number: -150000000000078380 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - DNV_P 3x4/F	500 M Y-21004-1
570	Material Number: -150000000000078381 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - DNV_P 3x2.5/F	1500 M Y-21004-1
580	Material Number: -150000000000085570 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - DNV_P 2x2.5/F	2000 M Y-21004-1
590	Material Number: -150000000000083922 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - DNV_C 1x2x0.75/F	4000 M Y-21004-1
600	Material Number: -150000000000083923 Material group: - C001005 - CABLES - ELECTRICAL Material Details: - DNV_C 2x2x0.75/F	10000 M Y-21004-1



MAZAGON DOCK SHIPBUILDERS LIMITED

(A Government of India Undertaking)

SHIPBUILDING DESIGN- ELECTRICAL & WEAPON DEPARTMENT

DOCKYARD ROAD, MUMBAI – 400 010

TECHNICAL SPECIFICATION FOR PROCUREMENT OF

POWER & CONTROL CABLES

PROJECT : 7500 DWT Multi-Purpose Dry Cargo Vessel
YARD NO. : 21001- 21004
TSP NO. : DR/EL/MPV/5133/03
DATE : 31/01/2026
FILE REF. : DR/EL/MPV/CABLE

REV	DESCRIPTION	DATE	AUTHORISED BY
0	First Issue	31/01/2026	MDL
			
	VIJAY BHADOLA DM (D – L & Wn)	S.A. SHINDE CM (D – L & Wn)	P. K. MODAK HOS/DGM (D – L & Wn)
	Prepared By	Checked By	Approved By



**MAZAGON DOCK
SHIPBUILDERS LTD.,**

(A Govt. Of India Undertaking)

Dockyard Road, Mumbai -400 010.

**SB DESIGN
ELECTRICAL & WEAPON**

YARD: 21001-21004

**TSP OF POWER & CONTROL
CABLES FOR MPV**

T.S.P. NO.

REV. NO.

DATE

PAGE

DR/EL/MPV/5133/
03

0

31/01/2026

2 OF 19

CONTENTS

TSP CI.	DESCRIPTION	PAGE NO.
1	Scope of Supply	3
2	List Of Nominated Vendors	3
3	General Technical requirements	3
4	Specification/Standards	4
5	Standard Length	6
6	Technical Data Sheet / QAP Approval	6
7	Testing and Inspection	7
8	Inspection	7
9	Delivery	7
10	Guarantee/Warantee	7
	Appendix-1: List of Cables	8
	Appendix-2: Format for Technical particulars of Cables	9
	Appendix-3: : Technical specification of VFD Flexible Cable For Mooring Winch	11
	Appendix-4: Technical specification of 1Cx240 sqmm For ESS	14
	Appendix-5: Technical specification of CAN-BUS 2x2x0.75 120Ω	16
	Appendix-6: Technical Specification of CAT 7 S/FTP cable	17
	Appendix-7: Technical Specification of CAT 6a S/FTP cable	18
	Appendix-8: Format for compliance Matrix	19



**MAZAGON DOCK
SHIPBUILDERS LTD.,**

(A Govt. Of India Undertaking)

Dockyard Road, Mumbai -400 010.

**SB DESIGN
ELECTRICAL & WEAPON**

YARD: 21001-21004

**TSP OF POWER & CONTROL
CABLES FOR MPV**

T.S.P. NO.

REV. NO.

DATE

PAGE

DR/EL/MPV/5133/
03

0

31/01/2026

3 OF 19

1. Scope of Supply:-

The list of Power Cables suitable for marine conditions for the MPV Project to be supplied is placed in Appendix 1 as per the specifications /standards mentioned in para 4.

2. List of nominated vendors by owner: -

2.1 APAR INDUSTRIES LTD, MUMBAI 400071

2.2 THERMO CABLES LTD, HYDERABAD 500082

2.3 POLYCAB INDIA LTD, MUMBAI 400028

3. General Technical requirement: -

3.1 Technical particulars of the offered cables have to be submitted along with the technical offer as per the format given in Appendix 2, as applicable. Technical offers submitted without technical particulars shall be liable for technical disqualification.

3.2 Any clarification, if required (regarding Technical Specification / Requirements) should be sought before submission of the offer.

3.3 No deviations shall be granted after the placement of the order.

3.4 If the design data of the cables offered have any deviations from the relevant standard specifications, it should be indicated in the technical offer.

3.5 The compliance to TSP para/sub-para has to be submitted with the technical offer in the compliance matrix as per the format in Appendix 3. Non-compliance to any TSP para may render the technical offer liable for technical disqualification.

3.6 The cables are to be tested at the supplier's premises for performance and quality control checks by the internal quality control dept, as per the test and inspection schedules. Necessary facilities for carrying out all type tests/routine tests/acceptance tests will have to be made available by the supplier.

3.7 The cables shall be type tested and have DNV type approval certificates.

3.8 Notwithstanding Para 3.6 and 3.7 above, if any manufacturing defect is noticed on a particular cable after it is cut and installed on board, the defective lot will be returned to the supplier. The supplier shall be liable to remanufacture and replace the entire defective length without any cost implication, at the earliest possible instance within 30 days of reporting of defect.

3.9 . The electric cables shall comply with the relevant requirements as per class rules.



**MAZAGON DOCK
SHIPBUILDERS LTD.,**

(A Govt. Of India Undertaking)

Dockyard Road, Mumbai -400 010.

**SB DESIGN
ELECTRICAL & WEAPON**

YARD: 21001-21004

**TSP OF POWER & CONTROL
CABLES FOR MPV**

T.S.P. NO.

DR/EL/MPV/5133/
03

REV. NO.

0

DATE

31/01/2026

PAGE

4 OF 19

4. SPECIFICATIONS/STANDARDS

4.1 (A) Power Cables

MPV 7500 POWER CABLE TECHNICAL SPECIFICATIONS /STANDARDS							
SL No	COPPER MATERIAL	SCREEN	INSULATION	SHEATH	STANDARDS	PROPERTIES	TYPE TESTING AUTHORITY
1	Annealed, fine-stranded, plain copper, class 5	Braided of plain copper wires. Coverage $\geq 90\%$, IEC 60092-350	Extruded XLPE	Extruded Polyolefin	IEC 60092-353 and IEC 60092-350 > Materials IEC 60228 (conductor) IEC 60092-360 (insulation) IEC 60092-360 (sheath)	Flame Retardance > Acc. To IEC 60332-3-22 (Cat A) and IEC 60332-1-2 Halogen Free > Acc.to IEC 60754-1 and -2 Low Smoke Emission > Acc.to IEC 61034-1 and -2	DNV
2	Fire resistant cable should be provided with mica glass tape. Pattern no of these cables are suffixed F in Appendix 1. IEC Standard for Fire resistant cable to be followed is IEC 60331-1/2.						
3	Cable where Earth conductor is required are suffixed E in Appendix 1. Earth conductor should be Green						
4	VOLTAGE RATING 0.6/1KV						
5	The cables should be round in construction and fillers or dummy cores should be used as per the requirement.						



**MAZAGON DOCK
SHIPBUILDERS LTD.,**

(A Govt. Of India Undertaking)

Dockyard Road, Mumbai -400 010.

**SB DESIGN
ELECTRICAL & WEAPON**

YARD: 21001-21004

**TSP OF POWER & CONTROL
CABLES FOR MPV**

T.S.P. NO.

DR/EL/MPV/5133/
03

REV. NO.

0

DATE

31/01/2026

PAGE

5 OF 19

B. CONTROL CABLES

MPV 7500 CONTROL CABLE TECHNICAL SPECIFICATIONS /STANDARDS

Sr.	COPPER MATERIAL	INSULATION	SCREEN	SHEATH	STANDARDS	PROPERTIES
1	Annealed, fine-stranded, plain copper, class 5	Extruded XLPE	Braided of plain copper wires. Coverage $\geq 90\%$, IEC 60092-350	Extruded Polyolefin	<ul style="list-style-type: none">IEC 60228IEC 60092-350IEC 60092-376IEC 60092-360	Fire Resistant:- IEC 60331-1/2 Flame Retardant :- IEC 60332-3-22 (Cat A) and IEC 60332-1-2 Halogen Free:- IEC 60754-1 and -2 Low Smoke Emission IEC 61034-1 and -2
2	VOLTAGE RATING 150/250 V (300V)					
3	All the control cables must be shielded twisted pair, overall screened with the characteristics of fire resistant with mica tape, flame retardant, halogen free & Low smoke emission as per IEC standards mentioned above.					
4	Cables shall be type tested and have DNV type approval certificates.					
5	The cables should be round in construction and fillers or dummy cores should be used as per the requirement.					

4.2 **VFD Cable:-** Specification of VFD Cable is provided in the Appendix-3.

4.3 **CAT 7 S/FTP & CAT 6a S/FTP:-** DNV type approved Marine grade CAT 7 & CAT 6a Cable to be supplied, Firm can either manufacture or supply DNV approved COTs cable.

4.4 **CAN-BUS 2x2x0.75 120 Ohm :-** Specification of CAN-BUS cable is mentioned in the appendix-5. DNV type approved CAN-BUS is required. Firm can either manufacture or supply DNV approved COTs cable.

Following guidance from DNV is required to be followed.

1.1.3 Compliance with IEC

The design of all electrical cables installed shall comply with the requirements of applicable IEC Publications.

Guidance note:

Power cables constructed in accordance with these IEC standards will normally have an insulating outer sheath. Certified cables constructed with outer amount or braid will have



**MAZAGON DOCK
SHIPBUILDERS LTD.,**

(A Govt. Of India Undertaking)

Dockyard Road, Mumbai -400 010.

**SB DESIGN
ELECTRICAL & WEAPON**

YARD: 21001-21004

**TSP OF POWER & CONTROL
CABLES FOR MPV**

T.S.P. NO.

REV. NO.

DATE

PAGE

DR/EL/MPV/5133/
03

0

31/01/2026

6 OF 19

sufficient insulating material beneath this outer braid. For cables with an outer metal braid, the outer braid cannot be used as earth conductor (as given in Sec.2 Table 5).

Permanently installed cables for power, control and instrumentation should comply with the specifications of International Electrotechnical Commission's (IEC):

- 1) Publication No. 60092-350 For general construction and test methods of power, control and instrumentation cables for shipboard and offshore applications.
- 2) Publication No. 60092-353 For power cables with extruded solid insulation for rated voltage 1Kv and 3Kv for lighting and Power cables.
- 3) Publication No. 60092-354 For rated voltages 6Kv ($U_m = 36$ kV) for high voltage cables.
- 4) Publication No. 60092-376 For control and instrumentation cables 150/250V (300V).

5. STANDARD LENGTH

5.1 The drum length of the cables is to be 250m, with a tolerance of ± 5 %.

5.2 The total quantity supplied is to be within ± 1 % tolerance of the ordered quantity.

5.3 The cables are to be supplied, sealed, and wound on standard wooden drums each marked to indicate: -

- 5.3.1 Name of the manufacturer.
- 5.3.2 Pattern/Type No. of the cable.
- 5.3.3 Size and length of the cable.
- 5.3.4 MDL Purchase Order No. & date.
- 5.3.5 Year of manufacture
- 5.3.6 DNV Product certificate No.
- 5.3.7 Gross weight

5.4 Cable ends on the drum should be accessible so that continuity /insulation checking can be done without unwinding the cables.

6. TECHNICAL PARTICULARS / QAP APPROVAL

6.1 Technical Particulars and QAP of the cables, in total compliance with the latest issue of specifications referred to in para 4 as applicable, are to be submitted to MDL for approval within 02 weeks of placement of the order. Technical Particulars and QAP approval shall be within 02 weeks of submission.

6.2 Technical Particulars of cables shall be submitted as per the format given in Appendix 2

6.3 QAP- For the cables, relevant IEC standards must be followed for manufacturing, testing, and supply of the cables.



**MAZAGON DOCK
SHIPBUILDERS LTD.,**

(A Govt. Of India Undertaking)

Dockyard Road, Mumbai -400 010.

**SB DESIGN
ELECTRICAL & WEAPON**

YARD: 21001-21004

**TSP OF POWER & CONTROL
CABLES FOR MPV**

T.S.P. NO.

DR/EL/MPV/5133/
03

REV. NO.

0

DATE

31/01/2026

PAGE

7 OF 19

7. TESTING AND INSPECTION

7.1 Cables required as per this TSP should have DNV type approval certificates required as per this TSP should have DNV type approval certificates. If the cables offered do not have a valid type test certificate, then the supplier will have to carry out type testing of the cables with DNV in compliance with the Standard specifications before delivery. Further, the cables are to be dispatched with Inspection release notes by the internal QC Dept of the supplier and DNV type approval certificates.

7.2 All type testing charges /certification/ inspection charges are to be borne by the vendor.

8. Inspection:-

8.1 Inspection Agency: Internal QC Dept of the supplier

8.2 Receipt Inspection: - MDL

Receipt inspection for all cables shall be carried out at MDL in the presence of OEM rep to verify completeness of the scope of supply and intactness of the supplied cable. Defective / damaged parts and deficiency, if any, in supply shall be made good by OEM free of cost. OEM shall be intimated on the date of receipt inspection.

9. **DELIVERY:-** The delivery schedule for the supply of cables per yard is as indicated below considering Technical Particulars and QAP submission within 02 weeks of PO placement and Technical Particulars and QAP approval in 02 weeks of submission:-

Yard No	Delivery Schedule
Yard. 21001	90 days from PO date.
Yard. 21002	90 days from PO date.
Yard. 21003	90 days from PO date.
Yard. 21004	120 days from PO date.

10. GUARANTEE/WARANTEE

The cables to be supplied shall be guaranteed/ warranted for satisfactory performance for the period of 36 months from the date of receipt in MDL.



**MAZAGON DOCK
SHIPBUILDERS LTD.,**

(A Govt. Of India Undertaking)

Dockyard Road, Mumbai -400 010.

**SB DESIGN
ELECTRICAL & WEAPON**

YARD: 21001-21004

**TSP OF POWER & CONTROL
CABLES FOR MPV**

T.S.P. NO.

DR/EL/MPV/5133/
03

REV. NO.

0

DATE

31/01/2026

PAGE

8 OF 19

Appendix-1

SCOPE OF SUPPLY FOR SCREENED POWER CABLES Y 21001-21004

Sr. No	Pattern No. / Stock No.	SAP Material No	Y21001	Y21002	Y21003	Y21004
1.	DNV_P 3x70+E	150000000000089850	400	0	0	0
2.	DNV_P 3x70/F	150000000000089851	400	400	400	400
3.	DNV_P 3x4/F	150000000000078380	500	500	500	500
4.	DNV_P 3x2.5/F	150000000000078381	1500	1500	1500	1500
5.	DNV_P 3x6	150000000000089852	250	250	250	0
6.	DNV_P 4x4	150000000000089853	250	250	250	250
7.	DNV_P 4x6	150000000000089854	250	250	250	250
8.	DNV_P 1x240 (for ESS)	150000000000089855	250	250	250	250
9.	DNV_P 3x25	150000000000089856	500	500	500	500
10.	DNV_P 2x2.5/F	150000000000085570	2000	2000	2000	2000
11.	DNV_C 1x2x0.75/F	150000000000083922	4000	4000	4000	4000
12.	DNV_C 2x2*x0.75/F	150000000000083923	10000	10000	10000	10000
13.	VFD Cable for Mooring Winch 3x25(Power)+3x10 sqmm (Ground)	150000000000089857	250	250	250	250
14.	Marine Grade CAT 6a S/FTP	150000000000089858	1000	1000	1000	1000
15.	Marine Grade CAT 7 S/FTP	150000000000089859	1000	1000	1000	1000
16.	CAN-BUS 2x2x0.75 120 Ohm	150000000000089865	250	250	250	250



**MAZAGON DOCK
SHIPBUILDERS LTD.,**

(A Govt. Of India Undertaking)

Dockyard Road, Mumbai –400 010.

**SB DESIGN
ELECTRICAL & WEAPON**

YARD: 21001-21004

**TSP OF POWER & CONTROL
CABLES FOR MPV**

T.S.P. NO.

REV. NO.

DATE

PAGE

DR/EL/MPV/5133/
03

0

31/01/2026

9 OF 19

Appendix – 2

**TECHNICAL PARTICULARS OF ELECTRICAL
CABLE**

Sheet No. 1/2	<u>General Description:- Specification:-</u>
	(j) Individual Screen Insulation: i. No. & Overlap of tapes ii. Tape thickness iii Dia over insulated screens
IV. <u>Laying</u>	
	(a) Nom. dia over taped laid up cores
	(b) Filling of core interstice
V. <u>Inner sheath / Wrapping tape</u>	
	(a) Min thickness of inner sheath
	(b) Nom. Thickness of Wrapping tape
	(c) Nom.dia over inner sheath / wrapping tape
VI. <u>Collective Screen</u>	
	(a) (1) Material (2) Nom. dia of wire (3) Min. filling factor & Min. coverage
	(b) Dia over collective screen
	(c) Manufacturing year (Marker thread)
	(d) Colour
VII. <u>Sheath</u>	
	(a) Material
	(b) Nom. Radial thickness of Sheath
	(c) Identification on Sheath
	(d) Nom. dia over Sheath (nom)
	(e) Overall Braiding: 1] Material 2] Dia of wire (mm)



**MAZAGON DOCK
SHIPBUILDERS LTD.,**

(A Govt. Of India Undertaking)

Dockyard Road, Mumbai -400 010.

**SB DESIGN
ELECTRICAL & WEAPON**

YARD: 21001-21004

**TSP OF POWER & CONTROL
CABLES FOR MPV**

T.S.P. NO.

DR/EL/MPV/5133/
03

REV. NO.

0

DATE

31/01/2026

PAGE

10 OF 19

3] Min Coverage %	
(f) Overall diameter Min / Max (mm)	
(g) Approx. weight of the cable (Kg/Km)	
(h) Packing: Standard length on the Drum. Tolerance, End sealing	

End Application:-

QAP Reference:-

I. Technical Particulars

(a) Size/Parameter i.e. core x CSA (Area of cross-section)	
(b) Voltage Grade (Volts)	
(c) Current rating(Amps)	
(d) Gland size	

II. Conductor

(a) Material	
(b) Class of Conductor	
(c) Nominal Cross Sectional Area(Sq.mm)	
(d) No of wires/ Maximum dia of wire / Lay dir	
(e) Max DC Resistance at 20 ⁰ C (Ω /Km)	
(f) Nominal Conductor dia	

III. Insulation

(a) Material	
(b) Nominal Radial thickness	
(c) Protective Layer	
(d) Min Insulation resistance ($M\Omega$ /km)	
(e) Nominal Core diameter	
(f) Core identification	
(g) Individual Screening : i. Material ii. Nominal dia of wire iii. Min filling factor & Min Coverage	
(h) Nom. diameter over screened core	



**MAZAGON DOCK
SHIPBUILDERS LTD.,**

(A Govt. Of India Undertaking)

Dockyard Road, Mumbai -400 010.

**SB DESIGN
ELECTRICAL & WEAPON**

YARD: 21001-21004

**TSP OF POWER & CONTROL
CABLES FOR MPV**

T.S.P. NO.

REV. NO.

DATE

PAGE

DR/EL/MPV/5133/
03

0

31/01/2026

11 OF 19

Appendix – 3

**TECHNICAL PARTICULARS OF ELECTRICAL
CABLE TYPE : VFD FLEXIBLE CABLE FOR MOORING WINCH**

**Sheet No.
1/2**

General Description:- 3 stranded tinned copper circuit conductors plus 3 bare copper ground wire, XLPE insulation, two spiral copper tape shields (100% Coverage), sun & oil resistant, flame resistant ,low smoke and zero halogen thermoset jacket

End Application:- Variable Frequency Drive for Mooring Winch

QAP : TO BE BY MADE BY THE VENDOR AND APPROVED BY SHIPYARD/DNV

I. Technical Particulars

(a) Size/Parameter i.e. core x CSA (Area of cross-section) of power conductors and ground conductors.	3 x 25 Sq mm (Power) + 3 x 10 Sq mm (Ground)
(b) Voltage Grade (Volts)	1000 V (RMS Sinusoidal)
(c) Current rating (Amps)	95A per conductor at 30 °C
(d) Gland size	M35

II. Conductor

(a) Material	Annealed Tinned Copper
(b) Class of Conductor	5
(c) Nominal Cross-Sectional Area (Sq.mm)	25 Sq.mm (power) & 10 Sq.mm (ground)
(d) Stranding POWER	No. of Wires. : 133(7x19) & Nom. Dia. of Wire : 0.45
(e) Stranding GROUND	No. of Wires. : 133(7x19) & Nom. Dia. of Wire : 0.30
(f) Nominal Conductor dia	Bare Copper

III. Insulation

(a) Material for power conductor	XLPE - Cross Linked Polyethylene
(b) Wall thickness	Power Cores : 1.6 mm.
(c) Core Diameter	Approx. 10 mm.
(d) Core identification	Numbering R, Y, B for Power Cores



**MAZAGON DOCK
SHIPBUILDERS LTD.,**

(A Govt. Of India Undertaking)

Dockyard Road, Mumbai -400 010.

**SB DESIGN
ELECTRICAL & WEAPON**

YARD: 21001-21004

**TSP OF POWER & CONTROL
CABLES FOR MPV**

T.S.P. NO.

DR/EL/MPV/5133/
03

REV. NO.

0

DATE

31/01/2026

PAGE

12 OF 19

Sheet No.2/2

IV. Laying-UP	3 Power Core laid up together suitably with 3 Ground bare conductor
(i) Laid-up dia.	Approx. 22 mm.
V. Outer Shield	
(i) Material & Type	Two layer of Copper Tape
(ii) Nominal Thickness	0.05 mm
(iii) Coverage	100% (Each layer)
VII. Sheath	
(a) Material	Low smoke zero halogen (LSZH) Thermoset Jacket
(b) Nom. wall thickness of Sheath	2.4 mm
(c) Colour of Sheath	Black
(d) Identification on Sheath	Manufacture's name, Size, Voltage, Year of Manufacture
(e) Overall Nominal diameter	28.27mm (Approx.)
(f) Approx. weight of the cable (Kg/Km)	1500+/-10%
(g) Packing: Standard length on the Drum. Tolerance, End sealing	250 Meters
(h) IEEE Flame Test	1201, IEEE 383 Vertical Tray Flame Test (70,000 BTU)
(i) Sun-Resistant Test	As per ASTM-G53
(j) Oil-Resistant Test	Yes, as per IEC 60502-2 Table 23 & IEC 60811-404
Electrical Characteristics (Overall)	
(1) Max. Operating Voltage	3.5KV RMS .MAXIMUM VOLTAGE 3.5 KV TO BE APPLIED FOR AT LEAST 5 MIN DURING ROUTINE TESTS. THE TESTS WILL BE WITNESSED BY SHIPYARD.
(2) Max. Recommended Current	95A per conductor at 30 °C
Mechanical Characteristics (Overall)	
(i) Operating Temperature Range	-40°C to +90°C
(ii) Max. Recommended Pulling Tension	1.5Kg/mm ²
(iii) Min. Bending Radius	10 x Overall Dia. of cable



**MAZAGON DOCK
SHIPBUILDERS LTD.,**

(A Govt. Of India Undertaking)

Dockyard Road, Mumbai -400 010.


**SB DESIGN
ELECTRICAL & WEAPON**

YARD: 21001-21004


**TSP OF POWER & CONTROL
CABLES FOR MPV**

T.S.P. NO.	DR/EL/MPV/5133/ 03
REV. NO.	0
DATE	31/01/2026
PAGE	13 OF 19

Make sure that the shielding also are according to below (

 Symmetrical shielded (or armored) cable with three phase conductors and symmetrical constructed PE conductor and a shield (or armor)	Yes	Yes
---	-----	-----

Not allowed power cable types

Cable type	Use as input power cabling	Use as motor cabling
 Symmetrical shielded cable with individual shields for each phase conductor	No	No



**MAZAGON DOCK
SHIPBUILDERS LTD.,**

(A Govt. Of India Undertaking)
Dockyard Road, Mumbai -400 010.

**SB DESIGN
ELECTRICAL & WEAPON**

YARD: 21001-21004

**TSP OF POWER & CONTROL
CABLES FOR MPV**

T.S.P. NO.

REV. NO.

DATE

PAGE

DR/EL/MPV/5133/
03

0

31/01/2026

14 OF 19

Appendix – 4

**TECHNICAL PARTICULARS OF ELECTRICAL
CABLE TYPE : 1Cx240 sqmm For ESS**

I. Technical Particulars

(a) Size/Parameter i.e. core x CSA (Area of cross-section) of power conductors and ground conductors.	1CX240.00SQ.MM MARINE CABLE
(b) Voltage Grade (Volts)	1.8/3.0 KV (RMS Sinusoidal)
(c) Current rating (Amps)	
(d) Gland size	

II. Conductor

(a) Material	Annealed Bare Copper
(b) Class of Conductor	5
(c) Nominal Cross-Sectional Area (Sq.mm)	240 Sq.mm
(d) No of wires/ Maximum dia of wire / Lay dir	
(e) Max DC Resistance at 200 C (Ω /Km)	
(f) Nominal Conductor dia	

III. Insulation

(a) Material for power conductor	Extruded XLPE, As per IEC-60092-360
(b) Insulation Thickness (in mm)	1.7

IV. Braiding Overlay

(i) Braiding Material(Laidup)	Annealed Bare Copper
(ii) Braiding wire Coverage (Laidup)(%)	90%

V. Sheath

(i) Material & Type	Extruded-Halogen Free compound Type SHF-1, As Per IEC-60092-360
(ii) Nominal Thickness	As per IEC
(iii) Diameter Over Sheath (mm)	29.24 \pm 2

Electrical Characteristics (Overall)

(1) Conductor Resistance(Ohms / Km)at 20 Deg.C (Max.)	0.0801
(2) IR Constant (Min)	3670 M.Ohm-km @ 27 deg.C
(i) HV Test Core to Braid	6.5KV for 5 Minutes



**MAZAGON DOCK
SHIPBUILDERS LTD.,**

(A Govt. Of India Undertaking)

Dockyard Road, Mumbai -400 010.

**SB DESIGN
ELECTRICAL & WEAPON**

YARD: 21001-21004

**TSP OF POWER & CONTROL
CABLES FOR MPV**

T.S.P. NO.

DR/EL/MPV/5133/
03

REV. NO.

0

DATE

31/01/2026

PAGE

15 OF 19

Test Parameters

Oxygen Index	As per ASTM D 2863
Temperature Index	As per ASTM D 2863
Flame Retardant	As per IEC 60332-3-22 Cat. 'A' & IEC-60332-1-2
Halogen Free	As Per IEC-60754-1 & 2
Low Smoke Emission	As Per IEC-61034-1 & 2



**MAZAGON DOCK
SHIPBUILDERS LTD.,**

(A Govt. Of India Undertaking)

Dockyard Road, Mumbai -400 010.

**SB DESIGN
ELECTRICAL & WEAPON**

YARD: 21001-21004

**TSP OF POWER & CONTROL
CABLES FOR MPV**

T.S.P. NO.

DR/EL/MPV/5133/
03

REV. NO.

0

DATE

31/01/2026

PAGE

16 OF 19

Appendix – 5

CAN-BUS 2x2x0.75 120Ω

Specifications:-

Conductor	Flexible tinned copper conductor 0.75 sqmm
Insulation	PE
Twisted Pair	Two Insulated core twisted together to form a pair
Cabling	Pairs twisted together with fillers to obtain symmetrical and round construction
Screen	Tinned copper wire braid coverage 80%
Outer Sheath	LSZH
Nominal Outer Dia	11.5±0.3mm
Bending radius	5 times overall Diameter

Standards

Fire characteristics	IEC 60332-1-2 IEC 60332-3-22
Operating Voltage	30V
Test Voltage	1000V
Halogen Free	IEC 60754
Smoke emission	IEC 61034
Characteristic Impedence	120±12 Ω @1Mhz
Operating Temperature range	-25°C to 80°C
Approval	DNV type approved



**MAZAGON DOCK
SHIPBUILDERS LTD.,**

(A Govt. Of India Undertaking)

Dockyard Road, Mumbai -400 010.

**SB DESIGN
ELECTRICAL & WEAPON**

YARD: 21001-21004

**TSP OF POWER & CONTROL
CABLES FOR MPV**

T.S.P. NO.

DR/EL/MPV/5133/
03

REV. NO.

0

DATE

31/01/2026

PAGE

17 OF 19

Appendix – 6

Marine Cat 7 cable

Description: Shielded/ Foiled twisted pair (S/FTP) Category-7 Cable.

IEC Rating

Halogen free :- IEC 60754-1/2;

Low Smoke:- IEC 61034-1/2,

Flame retardant:- IEC 60332-3-24

Certification

This cable should be certified DNV for marine use.

Construction

1. Conductor	Stranded copper wire, AWG23
2. Insulation	PE
3. Twisting	2 cores to the pair
4. Pair screen	Aluminium/Myler
5. Overall screen	Copper braid, tinned
6. Sheath	LFH material

Mechanical Properties

7. Bending radius	Installation	8 x D
8.	Installed	4 x D
9. Temperature range	During operation	-40°C to + 80°C

Electrical Properties

10. Conductor DC resistance	≤ 93.8 ohm /km
11. Characteristics impedance	$100 \pm 15 \Omega$ @ 100 MHz, $100 \pm 22 \Omega$ @ 100 - 250MHz
12. Frequency Range	1-600 MHz
13. DC Resistance unbalance	$\leq 5\%$
14. Insulation resistance	$\geq 5000 M\Omega \times km$
15. Mutual Capacitance @ 1khz	≤ 5.6 nF/100m



**MAZAGON DOCK
SHIPBUILDERS LTD.,**

(A Govt. Of India Undertaking)
Dockyard Road, Mumbai -400 010.

**SB DESIGN
ELECTRICAL & WEAPON**

YARD: 21001-21004

**TSP OF POWER & CONTROL
CABLES FOR MPV**

T.S.P. NO.

REV. NO.

DATE

PAGE

DR/EL/MPV/5133/
03

0

31/01/2026

18 OF 19

Appendix – 7

Marine Cat 6A S/FTP cable

Description: Shielded/ Foiled twisted pair (S/FTP) Category-6A Cable.

IEC Rating

Halogen free :- IEC 60754-1/2;

Low Smoke:- IEC 61034-1/2,

Flame retardant:- IEC 60332-3-24

Certification

This cable should be certified DNV for marine use.

Construction

1. Conductor	Stranded copper wire, AWG24
2. Insulation	PE
3. Twisting	2 cores to the pair
4. Pair screen	Aluminium/Myler
5. Overall screen	Copper braid, tinned
6. Sheath	LFH material

Mechanical Properties

7. Bending radius	Installation	8 x D
8.	Installed	4 x D
9. Temperature range	During operation	-40°C to + 80°C

Electrical Properties

10. Conductor DC resistance	$\leq 93.8 \text{ Ohm /km}$
11. Characteristics impedance	$100 \pm 15 \Omega @ 100 \text{ MHz}$
12. Frequency Range	1-500 MHz
13. DC Resistance unbalance	$\leq 5\%$
14. Insulation resistance	$\geq 5000 \text{ M}\Omega \times \text{km}$
15. Mutual Capacitance @ 1khz	$\leq 5.6 \text{ nF/100m}$

Integrity Pact (IP) Format

Mazagon Dock Shipbuilders Limited (MDL) hereinafter referred to as **"The Principal/Buyer"**

And.....hereinafter referred to as **"The Bidder/ Contractor"**

Preamble

	The Principal/Buyer intends to award, under laid down organizational procedures, contract/s for GeM Tender No. GEM/2026/B/7235521-Supply of Power and Control cables for Project 7500 Dwt Multi-Purpose Dry Cargo Vessel. The Principal/Buyer values full compliance with all relevant laws of the land rules, regulations, economic use of resources and of fairness / transparency in its relations with its Bidder(s) and /or Contractor(s). In order to achieve these goals, the Principal/Buyer will appoint an Independent External Monitor (IEM), who will monitor the tender process and the execution of the contract for compliance with the principles mentioned above.
--	---

Section 1 - Commitments of the Principal/Buyer:

(1)	The Principal/Buyer commits itself to take all measures necessary to prevent corruption and to observe the following principles:
	a) No employee of the Principal/Buyer, personally or through family members, will in connection with the tender for, or the execution of a contract, demand, take a promise for or accept, for self or third person, any material or immaterial benefit which the person is not legally entitled to.
	b) The Principal/Buyer will during the tender process treat all Bidder(s) with equity and reason. The Principal/Buyer will in particular, before and during the tender process, provide to all Bidder(s) the same information and will not provide to any Bidder(s) confidential/additional information through which the Bidder(s) could obtain an advantage in relation to the tender process or the contract execution.
	c) The Principal/Buyer will exclude from the process all known prejudiced persons.
	d) The Principal/Buyer undertakes to scrupulously follow the tender containing Standard Terms & Conditions (STAC) and General Terms & Conditions (GT&C) in respect of procurement contracts for goods, services and civil works.
(2)	If the Principal/Buyer obtains information on the conduct of any of its employees which is a criminal offence under the relevant Anti-Corruption Laws of India, or if there be a substantive suspicion in this regard, the Principal/Buyer will inform the Chief Vigilance Officer, MDL and in addition can initiate disciplinary actions.

Section 2 - Commitments of the Bidder(s)/Contractor(s):

(1)	The Bidder(s)/Contractor(s) commit himself to take all measures necessary to prevent corruption. He commits himself to observe the following principles during his participation in the tender process and during the contract execution.
	a) The Bidder(s)/Contractor(s) will not, directly or through any other persons or firm, offer promise or give to any of the Principal/Buyer's employees involved in the tender process or the execution of the contract or to any third person any material or other benefit which he/she is not legally entitled to, in order to obtain in exchange any advantage or any kind whatsoever during the tender process or during the execution of the contract.
	b) The Bidder(s)/Contractor(s) will not enter with other Bidders into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to introduce cartelization in the bidding process.
	c) The Bidder(s)/Contractor(s) will not commit any offence under the relevant Anti-Corruption Laws of India; further the Bidder(s)/Contractor(s) will not use improperly, for purposes of competition or personal gain, or pass on to other, any information or document provided by the Principal/Buyer as part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.

	d)	The Bidder(s)/Contractor(s) of foreign origin shall disclose the name and address of the Agents/representatives in India, if any. Similarly, the Bidder(s)/Contractor(s) of Indian Nationality shall furnish the name and address of the foreign principals, if any. All payments made to the Indian Agent/representative have to be in Indian Rupees only. Further details as mentioned in the "Guidelines of Indian Agents of Foreign suppliers" shall be disclosed by the Bidders(s)/Contractor(s). Copy of the "Guidelines on Indian Agents of Foreign Suppliers" as annexed and marked as Annexure-A.
	e)	The Bidder(s)/Contractor(s) will when presenting his bid, disclose any and all payments he has made, is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the contract.
	f)	The Bidder (s)/Contractor(s), their agents, representatives shall not do such things so as to interfere with the procedures laid down in the Principal/Buyer's tender containing the Standard Terms and Conditions (STAC) and General Terms and Conditions (GT&C) in respect of procurement contracts for goods, services and civil works.
	g)	The Bidder commits to refrain from giving any complaint directly or through any other manner without supporting it with full and verifiable facts.
(2)		The Bidder(s)/Contractor(s) will not instigate third persons to commit offences outlined above or be an accessory to such offences.

Section 3 - Disqualification from tender process and exclusion from future contracts:

		If the Bidder(s)/Contractor(s) before contract award or during execution of Contract has committed a transgression through a violation of Section 2, above or in any other form such as to put his reliability or credibility as Bidder(s) in question, the Principal/Buyer is entitled to disqualify the Bidder(s)/Contractor(s) from the tender process or to terminate the contract, if already signed for such reason, as per the procedure mentioned in the "Guidelines on Banning of business dealings" Copy of the "Guidelines on Banning of business dealings" is annexed and marked as Annexure-B.
	1)	If the Bidder(s)/Contractor(s) has committed a transgression through a violation of Section 2 such as to put his reliability or credibility into question, the Principal/Buyer is entitled also to exclude the Bidder(s)/Contractor(s) from future contract award processes. The imposition and duration of the exclusion will be determined by the severity of the transgression. The severity will be determined by the circumstances of the case, in particular the number of transgressions, the position of the transgressors within the company hierarchy of the Bidder(s) and the amount of the damage. The exclusion will be imposed for a minimum of <u>six</u> months and maximum of <u>five</u> years, which may be further extended at the discretion of the Principal/Buyer.
	2)	A transgression is considered to have occurred, if the Principal/Buyer after due consideration of the available evidence, concludes that no reasonable doubt is possible.
	3)	The Bidder (s) accepts and undertakes to respect and uphold the Principal/Buyer's absolute right to resort to and impose such exclusion and further accepts and undertakes not to challenge or question such exclusion on any ground, including the lack of any hearing before the decision to resort to such exclusion is taken. This undertaking is given freely and after obtaining legal advice.
	4)	If the Bidder(s)/Contractor(s) can prove that he has restored/ recouped the damage caused by him and has installed a suitable corruption prevention system, the Principal/Buyer may revoke the exclusion prematurely.

Section 4 – Sanctions for Violation:

(1)	Any breach of the aforesaid provisions by the Bidder or any one employed by him or acting on his behalf (whether with or without the knowledge of the Bidder) or the commission of any offence by the Bidder or any one employed by him or acting on his behalf, as defined in
-----	--

	Chapter IX of the Indian Penal Code, 1860 or the Prevention of Corruption Act 1988 or any other Act enacted for the prevention of corruption shall entitle the Principal/Buyer to take all or any one of the following actions, wherever required –
a)	To immediately call off the pre-contract negotiations without assigning any reason or giving any compensation to the Bidder. However, the proceedings with the other Bidder (s) would continue.
b)	The Earnest Money Deposit/Security Deposit/Performance Bond shall stand forfeited either fully or partially, as decided by the Principal/Buyer, and the Principal/Buyer shall not be required to assign any reason there for.
c)	To immediately cancel the contract, if already signed, without giving any compensation to the Bidder.
d)	To recover all sums already paid by the Principal/Buyer, in case of an Indian Bidder with interest thereon at 2% higher than the prevailing Base Rate of SBI, and in case of a Bidder from a country other than India with interest thereon at 2% higher than the LIBOR. If any outstanding payment is due to the Bidder from the Buyer in connection with any other contract for any other Defence stores, such outstanding payment could also be utilized to recover the aforesaid sum and interest.
e)	To en-cash the advance Bank Guarantee and Performance Bond/Warranty bond, if furnished by the Bidder, in order to recover the payments, already made by the Principal/Buyer, along with interest.
f)	To cancel all or any other contracts with the Bidder.
g)	To debar the Bidder from entering into any bid from Principal/Buyer for a minimum period of five years, which may be further extended at the discretion of the Principal/Buyer.
h)	To recover all sums paid in violation of this Pact by Bidder(s) to any middleman or agent or broker with a view to securing the contract.
i)	If the Bidder or any employee of the Bidder or any person acting on behalf of the Bidder, either directly or indirectly, is closely related to any of the officers of the Buyer, or alternatively, if any close relative of an officer of the Buyer has financial interest/stake in the Bidder's firm, the same shall be disclosed by the Bidder at the time of filing of tender. Any failure to disclose the interest involved shall entitle the Buyer to rescind the contract without payment of any compensation to the Bidder.
	The term 'close relative' for this purpose would mean spouse whether residing with the Principal/Buyer's employee/employees or not, but not include a spouse separated from the Principal/Buyer's employee/employees by a decree or order of a competent court; son or daughter or step son or step daughter and wholly dependent upon Principal/Buyer's employee/employees, but does not include a child or step child who is no longer in any way dependent upon the Principal/Buyer's employee/employees or of whose custody the Principal/Buyer's employee/employees has been deprived of by or under any law; any other person related, whether by blood or marriage, to the Principal/Buyer's employee/employees or to the Principal/Buyer's employee/employees wife or husband and wholly dependent upon Principal/Buyer's employee/employees.
j)	The Bidder shall not lend to or borrow any money from or enter into any monetary dealings or transactions, directly or indirectly, with any employee of the Principal/Buyer, and if he does so, the Principal/Buyer shall be entitled forthwith to rescind the contract and all other contracts with the Bidder. The Bidder shall be liable to pay compensation for any loss or damage to the Principal/Buyer resulting from such rescission and the Principal/Buyer shall be entitled to deduct the amount so payable from the money(s) due to the Bidder.
k)	In cases where Irrevocable Letters of Credit have been received in respect of any contract signed by the Principal/Buyer with the Bidder, the same shall not be opened.
(2)	The decision of the Principal/Buyer to the effect that a breach of the provisions of this Integrity Pact has been committed by the Bidder shall be final and binding on the Bidder, however, the same Bidder can approach the Monitor(s) appointed for the purposes of this Pact.

Section 5 - Previous Transgression:

(1)	The Bidder declares that no previous transgressions occurred in the last three years with
-----	---

	any other company in any country conforming to the anti-corruption approach or with any other public sector enterprise in India that could justify his exclusion from the tender process.
(2)	If the bidder makes incorrect statement on this subject, he can be disqualified from the tender process or further action can be taken.

Section 6 - Equal treatment of all Bidders/Contractor(s)/Subcontractors:

(1)	The Bidder(s)/Contractor(s) undertake(s) to demand from all subcontractors a commitment in conformity with this integrity Pact, and to submit it to the Principal before contract signing.
2)	The Principal/Buyer will enter into agreements with identical conditions as this one with all bidders, contractors and subcontractors.
(3)	The Principal/Buyer will disqualify from the tender process all bidders who do not sign this Pact or violate its provisions.

Section 7 - Criminal charges against violation Bidder(s)/Contractor(s)/Subcontractor(s):

(1)	If the Principal/Buyer obtains knowledge of conduct of a Bidder, Contractor or subcontractor, or of an employee or a representative or an associate of a Bidder, Contractor or subcontractor which constitutes corruption or if the Principal has substantive suspicion in this regard, the Principal/Buyer will inform the same to the Chief Vigilance Officer, MDL.
-----	---

Section 8 - Independent External Monitor/Monitors:

(1)	The Principal/Buyer appoints competent and credible independent External Monitor for this Pact. The task of the Monitor is to review independently and objectively whether and to what extent the parties comply with the obligations under this agreement.
(2)	The Monitor is not subject to instructions by the representatives of the parties and performs his functions neutrally and independently. He reports to the Chairman & Managing Director of the Principal/Buyer.
(3)	The Bidder(s)/Contractor(s) accepts that the Monitor has the right to access without restriction to all project documentation of the Principal/Buyer including that provided by the Contractor. The Contractor will also grant the Monitor, upon his request and demonstration of a valid interest, unrestricted and unconditional access to his project documentation. The same is applicable to Subcontractors. The Monitor is under contractual obligation to treat the information and documents of the Bidder(s)/Contractor(s)/Subcontractor(s) with confidentiality.
(4)	The Principal/Buyer will provide to the Monitor sufficient information about all meetings among the parties related to the Project provided such meetings could have an impact on the contractual relations, between the Principal/Buyer and the Contractor. The parties offer to the Monitor the option to participate in such meetings.
(5)	As soon as the Monitor notices, or believes to notice, a violation of this agreement, he will so inform the Management of the Principal/Buyer and request the Management to discontinue or take corrective action, or to take other relevant action. The Monitor can in this regard submit non-binding recommendations. Beyond this, the Monitor has no right to demand from the parties that they act in a specific manner, refrain from action or tolerate action. However, the Monitor shall give an opportunity to the Bidder(s)/Contractor(s) to present its case before making its recommendation to the Principal/Buyer.
(6)	The Monitor will submit a written report to the Chairman & Managing Director of the Principal within 8 to 10 weeks from the date of reference or intimation to him by the Principal/Buyer and, should the occasion arise, submit proposals for correcting problematic situations.
(7)	Monitor shall be entitle to compensation on the same terms as being extended to / provided to Independent Directors on the Board of Principal/Buyer.
(8)	If the Monitor has reported to the Chairman & Managing Director of the Principal, a substantiated suspicion of an offence under relevant Anti-Corruption Laws of India and the

	Chairman & Managing Director of the Principal/Buyer has not, within the reasonable time taken visible action to proceed against such offence or reported it to the Chief Vigilance Officer, the Monitor may also transmit this information directly to the Central Vigilance Commissioner, Government of India.
(9)	The word 'Monitor' would include both singular and plural.

Section 9 - Pact Duration:

	<p>This pact begins when both parties have legally signed it. It expires for the Contractor 12 months after the last payment under the contract and for all other Bidders 06 months after the contract has been awarded.</p> <p>If any claim is made / lodged during this time, the same shall be binding and continue to be valid despite the lapse of this pact as specified above unless it is discharged / determined by Chairman & Managing Director of the Principal/Buyer.</p>
--	---

Section 10 - Other provisions:

(1)	This agreement is subject to Indian Law, place of performance and jurisdiction is the Registered Office of the Principal/Buyer, i.e. Mumbai (For MDL). The Arbitration clauses provided in the main tender document/ contract shall not be applicable for any issue/dispute arising under this Integrity pact.
(2)	Changes and supplements as well as termination notices need to be made in writing. Side agreements have not been made.
(3)	If the Contractor is a partnership or a consortium, this agreement must be signed by all partners or consortium members.
(4)	Should one or several provisions of this agreement turn out to be invalid, the remainder of this agreement remains valid. In this case, the parties will strive to come to an agreement to their original intentions.

Section 11 – Fall Clause: #

“The Bidder undertakes that it has not supplied/is not supplying similar products/ systems or subsystems at a price lower than that offered in the present bid in respect of any other Ministry/Department of the Government of India or PSU and if it is found at any stage that similar product/systems or sub systems was supplied by the Bidder to any other Ministry/Department of the Government of India or a PSU at a lower price, then that very price, with due allowance of elapsed time, will be applicable to the present case and the difference in the cost would be refunded by the Bidder to the Principal/Buyer, if the contract has already been concluded.”

For & on behalf of
Mazagon Dock shipbuilders Limited

(Office Seal)

Place _____

Date _____

Witness 1:

(Name & Address)

For & on behalf of
Bidder/Contractor

(Office Seal)

Witness 2:

(Name & Address)

GUIDELINES FOR INDIAN AGENTS OF FOREIGN SUPPLIERS

1.0	There shall be compulsory registration of agents for all Global (Open) Tender and Limited Tender. An agent who is not registered with MDL shall apply for registration.
1.1	An agent shall represent only one Foreign Supplier and not represent two suppliers or quote on their behalf in the same tender.
	However, either the Indian Agent on behalf of the Foreign Suppliers (also includes foreign manufacturers) or the Foreign Suppliers (also includes foreign manufacturers) directly could bid in a tender, but not both. In cases where an agent participates in a tender on behalf of one manufacturer, shall not quote on behalf of another manufacturer along with the first Manufacturer in a subsequent/parallel tender for the same item.
1.2	Registered agents will file an authenticated Photostat copy duly attested by a Notary Public/Original certificate of the principal confirming the agency agreement and giving the status being enjoyed by the agent and the commission/remuneration/salary/retainer ship being paid by the principal to the agent before the placement of order by MDL.
1.3	Wherever the Indian representatives have communicated on behalf of their principals and the foreign parties have stated that they are not paying any commission to the Indian agents, and the Indian representative is working on the basis of salary or as retainer, a written declaration to this effect should be submitted by the party (i.e. Principal) before finalizing the order.

2.0 DISCLOSURE OF PARTICULARS OF AGENTS/ REPRESENTATIVES IN INDIA, IF ANY.

2.1	Tenderers of Foreign nationality shall furnish the following details in their offer:	
	2.1.1	The name and address of the agents/representatives in India, if any and the extent of authorization and authority given to commit the Principals. In case the agent/representative be a foreign Company, it shall be confirmed whether it is real substantial Company and details of the same shall be furnished.
	2.1.2	The amount of commission/remuneration included in the quoted price(s) for such agents/representatives in India.
	2.1.3	Confirmation of the Tenderer that the commission/ remuneration if any, payable to his agents/ representatives in India, may be paid by MDL in Indian Rupees only.
2.2	Tenderers of Indian Nationality shall furnish the following details in their offers:	
	2.1.1	The name and address of the foreign principals indicating their nationality as well as their status, i.e, whether manufacturer or agents of manufacturer holding the Letter of Authority of the Principal specifically authorizing the agent to make an offer in India in response to tender either directly or through the agents/representatives.
	2.2.2	The amount of commission/remuneration included in the price (s) quoted by the Tenderer for himself.
	2.2.3	Confirmation of the foreign principals of the Tenderer that the commission/remuneration, if any, reserved for the Tenderer in the quoted price (s), may be paid by MDL in India in equivalent Indian Rupees on satisfactory completion of the Project or supplies of Stores and Spares in case of operation items .
2.3	In either case, in the event of contract materializing, the terms of payment will provide for payment of the commission /remuneration, if any payable to the agents/representatives in India in Indian Rupees on expiry of 90 days after the discharge of the obligations under the contract.	
2.4	Failure to furnish correct and detailed information as called for in paragraph-2.0 above will render the concerned tender liable to rejection or in the event of a contract materializing, the same liable to termination by MDL. Besides this there would be a penalty of banning business dealings with MDL or damage or payment of a named sum.	

GUIDELINES ON BANNING OF BUSINESS DEALINGS
CONTENTS

Sr.	Description
1.	Introduction
2.	Scope
3.	Definitions
4.	Initiation of Banning / Suspension
5.	Suspension of Business Dealings
6.	Ground on which Banning of Business Dealing can be initiated
7.	Banning of Business Dealings
8.	Removal from List of Approved Agencies-Suppliers/ Contractors etc.
9.	Procedure for issuing Show-cause Notice
10.	Appeal against the Decision of the Competent Authority
11.	Review of the Decision by the Competent Authority
12.	Circulation of the names of Agencies with whom Business Dealings have been banned

1. Introduction

1.1	Mazagon Dock Shipbuilders Limited (MDL), being a Public Sector Enterprise and 'State', within the meaning of Article 12 of Constitution of India, has to ensure preservation of rights enshrined in Chapter III of the Constitution. MDL as also to safeguard its commercial interests. MDL deals with Agencies, who have a very high degree of integrity, commitments and sincerity towards the work undertaken. It is not in the interest of MDL to deal with Agencies who commit deception, fraud or other misconduct in the execution of contracts awarded / orders issued to them. In order to ensure compliance with the constitutional mandate, it is incumbent on MDL to observe principles of natural justice before banning the business dealings with any Agency.
1.2	Since banning of business dealings involves civil consequences for an Agency concerned, it is incumbent that adequate opportunity of hearing is provided and the explanation, if tendered, is considered before passing any order in this regard keeping in view the facts and circumstances of the case.

2. Scope

2.1	MDL reserves its rights to remove from list of approved suppliers / contractors or to ban business dealings if any Agency has been found to have committed misconduct and also to suspend business dealings pending investigation.
2.2	Similarly, in case of sale of material there is a clause to deal with the Agencies / customers / buyers, who indulge in lifting of material in unauthorized manner.
2.3	However, absence of such a clause does not in any way restrict the right of MDL to take action / decision under these guidelines in appropriate cases.
2.4	The procedure of (i) Removal of Agency from the List of approved suppliers / contractors; (ii) Suspension and (iii) Banning of Business Dealing with Agencies, has been laid down in these guidelines.
2.5	These guidelines apply to all the Divisions/Yards of MDL.
2.6	It is clarified that these guidelines do not deal with the decision of the Management not to entertain any particular Agency due to its poor / inadequate performance or for any other reason.
2.7	The banning shall be with prospective effect, i.e., future business dealings.

3. Definitions

In these Guidelines, unless the context otherwise requires:

i)	'Bidder / Contractor / Supplier / Purchaser / Customer' shall mean and include a public limited company or a private limited company, a firm whether registered or not, an individual, a cooperative society or an association or a group of persons engaged in any commerce, trade, industry, etc. 'Bidder / Contractor / Supplier / Purchaser / Customer' in the context of these guidelines is indicated as 'Agency'.
----	--

ii)	'Inter-connected Agency' shall mean two or more companies having any of the following features:
	a) If one is a subsidiary of the other.
	b) If the Director(s), Partner(s), Manager(s) or Representative(s) are common;
	c) If management is common;
	d) If one owns or controls the other in any manner;
iii)	'Competent Authority' and 'Appellate Authority' shall mean the following:
	a) Functional Director shall be the 'Competent Authority' for the purpose of these guidelines. CMD, MDL shall be the 'Appellate Authority'.
	b) CMD, MDL shall have overall power to take suo-moto action on any information available or received by him and pass such order(s) as he may think appropriate, including modifying the order(s) passed by any authority under these guidelines.
iv)	'Investigating Department' shall mean any Department or Unit investigating into the conduct of the Agency and shall include the Vigilance Department, Central Bureau of Investigation, the State Police or any other department set up by the Central or State Government having powers to investigate.
v)	'List of approved Agencies – 'Bidder / Contractors / Suppliers / Purchasers / Customers shall mean and include list of approved / registered Agencies - 'Bidder / Contractors / Suppliers / Purchasers / Customers, etc.

4. Initiation of Banning / Suspension

	Action for banning / suspension business dealings with any Agency should be initiated by the department having business dealings with them after noticing the irregularities or misconduct on their part. Besides the concerned department, Vigilance Department may also be competent to initiate such action.
--	---

5. Suspension of Business Dealings

5.1	If the conduct of any Agency dealing with MDL is under investigation by any department, the Competent Authority may consider whether the allegations under investigation are of a serious nature and whether pending investigation, it would be advisable to continue business dealing with the Agency. If the Competent Authority, after consideration of the matter including the recommendation of the Investigating Department, if any, decides that it would not be in the interest to continue business dealings pending investigation, it may suspend business dealings with the Agency. The order to this effect may indicate a brief of the charges under investigation. If it is decided that inter-connected Agencies would also come within the ambit of the order of suspension, the same should be specifically stated in the order. The order of suspension would operate for a period not more than six months and may be communicated to the Agency as also to the Investigating Department. The Investigating Department may ensure that their investigation is completed and whole process of final order is over within such period.
5.2	The order of suspension shall be communicated to all Commercial Departmental Heads. During the period of suspension, no business dealing may be held with the Agency.
5.3	As far as possible, the existing contract(s) with the Agency may continue unless the Competent Authority, having regard to the circumstances of the case, decides otherwise.
5.4	If the gravity of the misconduct under investigation is very serious and it would not be in the interest of MDL, as a whole, to deal with such an Agency pending investigation, the Competent Authority may order suspension of business dealing with Agency and send his recommendation to Chief Vigilance Officer (CVO), MDL along with the material available, copy of which may be issued to the Agency concerned with intimation to CVO MDL. Such an order would operate for a period of six months from the date of issue.
5.5	If the Agency concerned asks for detailed reasons of suspension, the Agency may be informed that its conduct is under investigation. It is not necessary to enter into correspondence or argument with the Agency at this stage.
5.6	It is not necessary to give any show-cause notice or personal hearing to the Agency before issuing the order of suspension. However, if investigations are not complete in

	six months' time, the Competent Authority may extend the period of suspension by another three months, during which period the investigations must be completed.
--	--

6. Ground on which Banning of Business Dealings can be initiated

6.1	If the security consideration, including questions of loyalty of the Agency to the State, so warrants;
6.2	If the Director / Owner of the Agency, proprietor or partner of the firm, is convicted by a Court of Law for offences involving moral turpitude in relation to its business dealings with the Government or any other public sector enterprises or MDL, during the last five years;
6.3	If there is strong justification for believing that the Directors, Proprietors, Partners, owner of the Agency have been guilty of malpractices such as bribery, corruption, fraud, substitution of tenders, interpolations, etc;
6.4	If the Agency continuously refuses to return / refund the dues of MDL without showing adequate reason and this is not due to any reasonable dispute which would attract proceedings in arbitration or Court of Law;
6.5	If the Agency employs a public servant dismissed / removed or employs a person convicted for an offence involving corruption or abetment of such offence;
6.6	If business dealings with the Agency have been banned/blacklisted by Government Agencies/ Statutory bodies, DGQA, Defence Shipyards, DPSUs or with whom commercial transactions have been suspended for sufficient and justifiable reasons.
	If the Agency having same promoters/Directors /Partners as the barred/blacklisted Company as at 6.6 above for the duration for which the barring/ blacklisting of sister concern persists.
6.7	If the Agency has resorted to Corrupt, fraudulent practices including misrepresentation of facts; If the agency who had fraudulently dealt with the Company for pecuniary gains or had connived with dealing officers for mutual benefit.
6.8	If the Agency uses intimidation / threatening or brings undue outside pressure on the MDL or its official in acceptance / performances of the job under the contract;
6.9	If the Agency indulges in repeated and / or deliberate use of delay tactics in complying with contractual stipulations;
6.10	Wilful indulgence by the Agency in supplying sub-standard material irrespective of whether pre-dispatch inspection was carried out by MDL or not;
6.11	Based on the findings of the investigation report of CBI / Police against the Agency for malafide / unlawful acts or improper conduct on his part in matters relating to the MDL or even otherwise;
6.12	Established litigant nature of the Agency to derive undue benefit;
6.13	Continued poor performance of the Agency in several contracts;
6.14	If the Agency misuses the premises or facilities of the MDL, forcefully occupies, tampers or damages the Company's properties including land, water resources, forests / trees, etc. If the Agency who knowingly collude to defeat competition with the aim of deriving undeserved profit or gain from doing business with MDL. (Note: The examples given above are only illustrative and not exhaustive. The Competent Authority may decide to ban business dealing for any good and sufficient reason).

7. Banning of Business Dealings

7.1	Decision to ban business dealings with any Agency would apply throughout the Company.
7.2	There will be a Standing Committee to be appointed by the CMD which may include HOD of respective Commercial Section/Capital Works/OTS, HOD (M), rep of Legal Dept. and OIC (SR&R) for processing the cases of "Banning of Business Dealings". The functions of the committee shall, inter-alia include:
	i) To study the report of the Investigating Agency and decide if a prima-facie case for banning exists, if not, send back the case to the Competent Authority.
	ii) To recommend for issue of show-cause notice to the Agency by the concerned department.
	iii) To examine the reply to show-cause notice and call the Agency for personal hearing, if

		required.
	iv)	To submit final recommendation to the Competent Authority for banning or otherwise.
7.3		If the Competent Authority is prima-facie of view that action for banning business dealings with the Agency is called for, a show-cause notice may be issued to the Agency as per paragraph 9.1 and an enquiry held accordingly.
8		Removal from List of Approved Agencies - Suppliers / Contractors, etc.
8.1		If the Competent Authority decides that the charge against the Agency is of a minor nature, it may issue a show-cause notice as to why the name of the Agency should not be removed from the list of approved Agencies - Suppliers / Contractors, etc.
8.2		The effect of such an order would be that the Agency would not be disqualified from competing in Open Tender Enquiries but LTE may not be given to the Agency concerned.
8.3		Past performance of the Agency may be taken into account while processing for approval of the Competent Authority for awarding the contract.
9.		Show-cause Notice
9.1		In case where the Competent Authority decides that action against an Agency is called for, a show-cause notice has to be issued to the Agency. Statement containing the imputation of misconduct or misbehaviour may be appended to the show-cause notice and the Agency should be asked to submit within 15 days a written statement in its defence.
9.2		If the Agency requests for inspection of any relevant document in possession of MDL, necessary facility for inspection of documents may be provided.
9.3		The Competent Authority may consider and pass an appropriate speaking order:
	a)	For exonerating the Agency if the charges are not established;
	b)	For removing the Agency from the list of approved Suppliers / Contractors, etc.
	c)	For banning the business dealing with the Agency.
9.4		If it decides to ban business dealings, the period for which the ban would be operative may be mentioned. The order may also mention that the ban would extend to the interconnected Agencies of the Agency.
10.		Appeal against the Decision of the Competent Authority
10.1		The Agency may file an appeal against the order of the Competent Authority banning business dealing, etc. The appeal shall lie to Appellate Authority. Such an appeal shall be preferred within one month from the date of receipt of the order banning business dealing, etc.
10.2		Appellate Authority would consider the appeal and pass appropriate order which shall be communicated to the Agency as well as the Competent Authority.
11.		Review of the Decision by the Competent Authority
		Any petition / application filed by the Agency concerning the review of the banning order passed originally by Competent Authority under the existing guidelines either before or after filing of appeal before the Appellate Authority or after disposal of appeal by the Appellate Authority, the review petition can be decided by the Appellate Authority upon disclosure of new facts / circumstances or subsequent development necessitating such review. The Competent Authority may refer the same petition to the separate Standing Committee which may be constituted by Appellate Authority for examination and recommendation.
12.		Circulation of the names of Agencies with whom Business Dealings have been banned
12.1		Depending upon the gravity of misconduct established, the Competent Authority may direct HOD (Materials)/OIC (SR&R) to circulate the names of Agency with whom business dealings have been banned, to the Government Departments, other Public Sector Enterprises, etc. for such action as they deem appropriate.
12.2		If Government Departments or a Public Sector Enterprise request for more information about the Agency with whom business dealings have been banned, a copy of the report of Inquiring Authority together with a copy of the order of the Competent Authority / Appellate Authority may be supplied.
12.3		If business dealings with any Agency have been banned by the Central or State Government or any other Public Sector Enterprise, MDL may, without any further enquiry or investigation, issue an order banning business dealing with the Agency and its inter-connected Agencies.