

BLANK RATE SHEET FOR GEM/2026/B/7636664 (PROCUREMENT OF Glass Windows for 14 FPV SHIPS- ICG)

Note:

1) Bidders are requested to indicate "Quoted/ Not Quoted" as applicable against each line item & upload this blank rate sheet along with Part1 of their offer. The actual prices are to be quoted in the online BOQ (price bid) only.

2) For details of Delivery Schedule, Please refer the Tender Enquiry form attached with the Tender.

3) This Excel work book

contains two sheet. Bidders are requested to fill and submit blank rate sheet as per format provided only

Bidder Name												
ITEM NO	Line item No as Per PR	MATERIAL DESCRIPTION	Total Qty	UNIT	Yard No	% breakup	Basic Unit Rates	Type of GST e.g.IGST/CGST and SGSTetc.	GST (in %)	HSN Code	FE content in % (Excluding taxes and duties)	Currency for which FE % is quoted.
		One set comprises of following different sizes windows			16501,16502,16503,16504,16505	100						
1	10	WATER TIGHT TOUGHNEED GLASS WINDOW FOR WHEEL HOUSE - SB SIDE TYPE-FIXED-BOLTED FRAME MATERIAL-ALUMINIUM CLEAR SIZE-(LxWxR)=560mmX800mmXR100mm GLASS THICKNESS-10mm LEGEND-W1	5	Nos	16501,16502,16503,16504,16505							
2	20	WATER TIGHT TOUGHNEED GLASS WINDOW FOR WHEEL HOUSE - SB SIDE TYPE-FIXED-BOLTED FRAME MATERIAL-ALUMINIUM CLEAR SIZE-(LxWxR)=850mmX800mmXR100mm GLASS THICKNESS-14mm LEGEND-W2	5	Nos	16501,16502,16503,16504,16505							
3	30	WATER TIGHT TOUGHNEED GLASS WINDOW FOR WHEEL HOUSE - SB SIDE TYPE-FIXED-BOLTED FRAME MATERIAL-ALUMINIUM CLEAR SIZE-(LxWxR)=910/715mmX800mmXR100mm GLASS THICKNESS-14mm LEGEND-W3	5	Nos	16501,16502,16503,16504,16505							
4	40	WATER TIGHT TOUGHNEED GLASS WINDOW FOR WHEEL HOUSE FRONT SIDE TYPE-FIXED-BOLTED FRAME MATERIAL-ALUMINIUM CLEAR SIZE-(LxWxR)=950mmX800mmXR100mm GLASS THICKNESS-14mm LEGEND-W4	5	Nos	16501,16502,16503,16504,16505							
5	50	WATER TIGHT TOUGHNEED GLASS WINDOW FOR WHEEL HOUSE FRONT SIDE TYPE-FIXED-BOLTED FRAME MATERIAL-ALUMINIUM CLEAR SIZE-(LxWxR)=800mmX800mmXR100mm GLASS THICKNESS-14mm LEGEND-W5	5	Nos	16501,16502,16503,16504,16505							
6	60	WATER TIGHT TOUGHNEED GLASS WINDOW FOR WHEEL HOUSE FRONT SIDE TYPE-FIXED-BOLTED FRAME MATERIAL-ALUMINIUM CLEAR SIZE-(LxWxR)=800mmX800mmXR100mm GLASS THICKNESS-14mm LEGEND-W6	5	Nos	16501,16502,16503,16504,16505							
7	70	WATER TIGHT TOUGHNEED GLASS WINDOW FOR WHEEL HOUSE - SB SIDE TYPE-FIXED-BOLTED FRAME MATERIAL-ALUMINIUM CLEAR SIZE-(LxWxR)=950mmX800mmXR100mm GLASS THICKNESS-14mm LEGEND-W7	5	Nos	16501,16502,16503,16504,16505							

8	80	WATER TIGHT TOUGHNEDED GLASS WINDOW FOR WHEEL HOUSE - PB SIDE TYPE-FIXED-BOLTED FRAME MATERIAL-ALUMINIUM CLEAR SIZE-(LxWxR)=910/715mmX800mmXR100mm GLASS THICKNESS-14mm LEGEND-W8	5	Nos	16501,16502,16503,16504,16505								
9	90	WATER TIGHT TOUGHNEDED GLASS WINDOW FOR WHEEL HOUSE - PB SIDE TYPE-FIXED-BOLTED FRAME MATERIAL-ALUMINIUM CLEAR SIZE-(LxWxR)=850mmX800mmXR100mm GLASS THICKNESS-14mm LEGEND-W9	5	Nos	16501,16502,16503,16504,16505								
10	100	WATER TIGHT TOUGHNEDED GLASS WINDOW FOR WHEEL HOUSE - PB SIDE TYPE-FIXED-BOLTED FRAME MATERIAL-ALUMINIUM CLEAR SIZE-(LxWxR)=560mmX800mmXR100mm GLASS THICKNESS-10mm LEGEND-W10	5	Nos	16501,16502,16503,16504,16505								
11	110	A60 FIRE CLASS WATER TIGHT TOUGHNEDED GLASS WINDOW FOR MCR-AB TYPE-FIXED-BOLTED FRAME MATERIAL-SS-316 CLEAR SIZE-(LxWxR)=1000mmX1000mmXR100mm GLASS THICKNESS-50mm LEGEND-W11	5	Nos	16501,16502,16503,16504,16505								
12	120	DOCUMENTATION FOR GLASS WINDOW	5	SET	16501,16502,16503,16504,16505								
13	130	ON BOARD SPARES FOR GLASS WINDOW	5	SET	16501,16502,16503,16504,16505								
14	131	INSTALLATION MATERIAL (SEALING COMPOUND,NUT,BOLTS FOR GLASS WINDOW GASKETS ETC	5	SET	16501,16502,16503,16504,16505								
15	132	ALUMINIUM TEMPLATE FOR EACH SIZE OF WINDOW(6 NOS.) FOR CUTTING AND MARKING ON SHIPS HULL	2	SET	16501,16502,16503,16504,16505								
		One set comprises of following different sizes windows			16506,16507,16508	100							
16	660	WATER TIGHT TOUGHNEDED GLASS WINDOW FOR WHEEL HOUSE - SB SIDE TYPE-FIXED-BOLTED FRAME MATERIAL-ALUMINIUM CLEAR SIZE-(LxWxR)=560mmX800mmXR100mm GLASS THICKNESS-10mm LEGEND-W1	3	Nos	16506,16507,16508								
17	670	WATER TIGHT TOUGHNEDED GLASS WINDOW FOR WHEEL HOUSE - SB SIDE TYPE-FIXED-BOLTED FRAME MATERIAL-ALUMINIUM CLEAR SIZE-(LxWxR)=850mmX800mmXR100mm GLASS THICKNESS-14mm LEGEND-W2	3	Nos	16506,16507,16508								
18	680	WATER TIGHT TOUGHNEDED GLASS WINDOW FOR WHEEL HOUSE - SB SIDE TYPE-FIXED-BOLTED FRAME MATERIAL-ALUMINIUM CLEAR SIZE-(LxWxR)=910/715mmX800mmXR100mm GLASS THICKNESS-14mm LEGEND-W3	3	Nos	16506,16507,16508								
19	690	WATER TIGHT TOUGHNEDED GLASS WINDOW FOR WHEEL HOUSE FRONT SIDE TYPE-FIXED-BOLTED FRAME MATERIAL-ALUMINIUM CLEAR SIZE-(LxWxR)=950mmX800mmXR100mm GLASS THICKNESS-14mm LEGEND-W4	3	Nos	16506,16507,16508								
20	700	WATER TIGHT TOUGHNEDED GLASS WINDOW FOR WHEEL HOUSE FRONT SIDE TYPE-FIXED-BOLTED FRAME MATERIAL-ALUMINIUM CLEAR SIZE-(LxWxR)=800mmX800mmXR100mm GLASS THICKNESS-14mm LEGEND-W5	3	Nos	16506,16507,16508								

21	710	WATER TIGHT TOUGHNEED GLASS WINDOW FOR WHEEL HOUSE FRONT SIDE TYPE-FIXED-BOLTED FRAME MATERIAL-ALUMINIUM CLEAR SIZE-(LxWxR)=800mmX800mmXR100mm GLASS THICKNESS-14mm LEGEND-W6	3	Nos	16506,16507,16508								
22	720	WATER TIGHT TOUGHNEED GLASS WINDOW FOR WHEEL HOUSE - SB SIDE TYPE-FIXED-BOLTED FRAME MATERIAL-ALUMINIUM CLEAR SIZE-(LxWxR)=950mmX800mmXR100mm GLASS THICKNESS-14mm LEGEND-W7	3	Nos	16506,16507,16508								
23	730	WATER TIGHT TOUGHNEED GLASS WINDOW FOR WHEEL HOUSE - PB SIDE TYPE-FIXED-BOLTED FRAME MATERIAL-ALUMINIUM CLEAR SIZE-(LxWxR)=910/715mmX800mmXR100mm GLASS THICKNESS-14mm LEGEND-W8	3	Nos	16506,16507,16508								
24	740	WATER TIGHT TOUGHNEED GLASS WINDOW FOR WHEEL HOUSE - PB SIDE TYPE-FIXED-BOLTED FRAME MATERIAL-ALUMINIUM CLEAR SIZE-(LxWxR)=850mmX800mmXR100mm GLASS THICKNESS-14mm LEGEND-W9	3	Nos	16506,16507,16508								
25	750	WATER TIGHT TOUGHNEED GLASS WINDOW FOR WHEEL HOUSE - PB SIDE TYPE-FIXED-BOLTED FRAME MATERIAL-ALUMINIUM CLEAR SIZE-(LxWxR)=560mmX800mmXR100mm GLASS THICKNESS-10mm LEGEND-W10	3	Nos	16506,16507,16508								
26	760	A60 FIRE CLASS WATER TIGHT TOUGHNEED GLASS WINDOW FOR MCR-AB TYPE-FIXED-BOLTED FRAME MATERIAL-SS-316 CLEAR SIZE-(LxWxR)=1000mmX1000mmXR100mm GLASS THICKNESS-50mm LEGEND-W11	3	Nos	16506,16507,16508								
27	770	DOCUMENTATION FOR GLASS WINDOW	3	SET	16506,16507,16508								
28	780	ON BOARD SPARES FOR GLASS WINDOW	3	SET	16506,16507,16508								
29	781	INSTALLATION MATERIAL (SEALING COMPOUND,NUT,BOLTS FOR GLASS WINDOW GASKETS ETC	3	SET	16506,16507,16508								
		One set comprises of following different sizes windows			16509,16510,16511	100							
30	1050	WATER TIGHT TOUGHNEED GLASS WINDOW FOR WHEEL HOUSE - SB SIDE TYPE-FIXED-BOLTED FRAME MATERIAL-ALUMINIUM CLEAR SIZE-(LxWxR)=560mmX800mmXR100mm GLASS THICKNESS-10mm LEGEND-W1	3	Nos	16509,16510,16511								
31	1060	WATER TIGHT TOUGHNEED GLASS WINDOW FOR WHEEL HOUSE - SB SIDE TYPE-FIXED-BOLTED FRAME MATERIAL-ALUMINIUM CLEAR SIZE-(LxWxR)=850mmX800mmXR100mm GLASS THICKNESS-14mm LEGEND-W2	3	Nos	16509,16510,16511								
32	1070	WATER TIGHT TOUGHNEED GLASS WINDOW FOR WHEEL HOUSE - SB SIDE TYPE-FIXED-BOLTED FRAME MATERIAL-ALUMINIUM CLEAR SIZE-(LxWxR)=910/715mmX800mmXR100mm GLASS THICKNESS-14mm LEGEND-W3	3	Nos	16509,16510,16511								

33	1080	WATER TIGHT TOUGHNEED GLASS WINDOW FOR WHEEL HOUSE FRONT SIDE TYPE-FIXED-BOLTED FRAME MATERIAL-ALUMINIUM CLEAR SIZE-(LxWxR)=950mmX800mmXR100mm GLASS THICKNESS-14mm LEGEND-W4	3	Nos	16509,16510,16511								
34	1090	WATER TIGHT TOUGHNEED GLASS WINDOW FOR WHEEL HOUSE FRONT SIDE TYPE-FIXED-BOLTED FRAME MATERIAL-ALUMINIUM CLEAR SIZE-(LxWxR)=800mmX800mmXR100mm GLASS THICKNESS-14mm LEGEND-W5	3	Nos	16509,16510,16511								
35	1100	WATER TIGHT TOUGHNEED GLASS WINDOW FOR WHEEL HOUSE FRONT SIDE TYPE-FIXED-BOLTED FRAME MATERIAL-ALUMINIUM CLEAR SIZE-(LxWxR)=800mmX800mmXR100mm GLASS THICKNESS-14mm LEGEND-W6	3	Nos	16509,16510,16511								
36	1110	WATER TIGHT TOUGHNEED GLASS WINDOW FOR WHEEL HOUSE - SB SIDE TYPE-FIXED-BOLTED FRAME MATERIAL-ALUMINIUM CLEAR SIZE-(LxWxR)=950mmX800mmXR100mm GLASS THICKNESS-14mm LEGEND-W7	3	Nos	16509,16510,16511								
37	1120	WATER TIGHT TOUGHNEED GLASS WINDOW FOR WHEEL HOUSE - PB SIDE TYPE-FIXED-BOLTED FRAME MATERIAL-ALUMINIUM CLEAR SIZE-(LxWxR)=910/715mmX800mmXR100mm GLASS THICKNESS-14mm LEGEND-W8	3	Nos	16509,16510,16511								
38	1130	WATER TIGHT TOUGHNEED GLASS WINDOW FOR WHEEL HOUSE - PB SIDE TYPE-FIXED-BOLTED FRAME MATERIAL-ALUMINIUM CLEAR SIZE-(LxWxR)=850mmX800mmXR100mm GLASS THICKNESS-14mm LEGEND-W9	3	Nos	16509,16510,16511								
39	1140	WATER TIGHT TOUGHNEED GLASS WINDOW FOR WHEEL HOUSE - PB SIDE TYPE-FIXED-BOLTED FRAME MATERIAL-ALUMINIUM CLEAR SIZE-(LxWxR)=560mmX800mmXR100mm GLASS THICKNESS-10mm LEGEND-W10	3	Nos	16509,16510,16511								
40	1150	A60 FIRE CLASS WATER TIGHT TOUGHNEED GLASS WINDOW FOR MCR-AB TYPE-FIXED-BOLTED FRAME MATERIAL-SS-316 CLEAR SIZE-(LxWxR)=1000mmX1000mmXR100mm GLASS THICKNESS-50mm LEGEND-W11	3	Nos	16509,16510,16511								
41	1160	DOCUMENTATION FOR GLASS WINDOW	3	SET	16509,16510,16511								
42	1170	ON BOARD SPARES FOR GLASS WINDOW	3	SET	16509,16510,16511								
43	1171	INSTALLATION MATERIAL (SEALING COMPOUND,NUT,BOLTS FOR GLASS WINDOW GASKETS ETC	3	SET	16509,16510,16511								
44	1172	ALUMINIUM TEMPLATE FOR EACH SIZE OF WINDOW(6 NOS.) FOR CUTTING AND MARKING ON SHIPS HULL	1	SET	16509,16510,16511								
					One set comprises of following different sizes windows	16512,16513,16514	100						
45	1440	WATER TIGHT TOUGHNEED GLASS WINDOW FOR WHEEL HOUSE - SB SIDE TYPE-FIXED-BOLTED FRAME MATERIAL-ALUMINIUM CLEAR SIZE-(LxWxR)=560mmX800mmXR100mm GLASS THICKNESS-10mm LEGEND-W1	3	Nos	16512,16513,16514								

46	1450	WATER TIGHT TOUGHNEED GLASS WINDOW FOR WHEEL HOUSE - SB SIDE TYPE-FIXED-BOLTED FRAME MATERIAL-ALUMINIUM CLEAR SIZE-(LxWxR)=850mmX800mmXR100mm GLASS THICKNESS-14mm LEGEND-W2	3	Nos	16512,16513,16514								
47	1460	WATER TIGHT TOUGHNEED GLASS WINDOW FOR WHEEL HOUSE - SB SIDE TYPE-FIXED-BOLTED FRAME MATERIAL-ALUMINIUM CLEAR SIZE-(LxWxR)=910/715mmX800mmXR100mm GLASS THICKNESS-14mm LEGEND-W3	3	Nos	16512,16513,16514								
48	1470	WATER TIGHT TOUGHNEED GLASS WINDOW FOR WHEEL HOUSE FRONT SIDE TYPE-FIXED-BOLTED FRAME MATERIAL-ALUMINIUM CLEAR SIZE-(LxWxR)=950mmX800mmXR100mm GLASS THICKNESS-14mm LEGEND-W4	3	Nos	16512,16513,16514								
49	1480	WATER TIGHT TOUGHNEED GLASS WINDOW FOR WHEEL HOUSE FRONT SIDE TYPE-FIXED-BOLTED FRAME MATERIAL-ALUMINIUM CLEAR SIZE-(LxWxR)=800mmX800mmXR100mm GLASS THICKNESS-14mm LEGEND-W5	3	Nos	16512,16513,16514								
50	1490	WATER TIGHT TOUGHNEED GLASS WINDOW FOR WHEEL HOUSE FRONT SIDE TYPE-FIXED-BOLTED FRAME MATERIAL-ALUMINIUM CLEAR SIZE-(LxWxR)=800mmX800mmXR100mm GLASS THICKNESS-14mm LEGEND-W6	3	Nos	16512,16513,16514								
51	1500	WATER TIGHT TOUGHNEED GLASS WINDOW FOR WHEEL HOUSE - SB SIDE TYPE-FIXED-BOLTED FRAME MATERIAL-ALUMINIUM CLEAR SIZE-(LxWxR)=950mmX800mmXR100mm GLASS THICKNESS-14mm LEGEND-W7	3	Nos	16512,16513,16514								
52	1510	WATER TIGHT TOUGHNEED GLASS WINDOW FOR WHEEL HOUSE - PB SIDE TYPE-FIXED-BOLTED FRAME MATERIAL-ALUMINIUM CLEAR SIZE-(LxWxR)=910/715mmX800mmXR100mm GLASS THICKNESS-14mm LEGEND-W8	3	Nos	16512,16513,16514								
53	1520	WATER TIGHT TOUGHNEED GLASS WINDOW FOR WHEEL HOUSE - PB SIDE TYPE-FIXED-BOLTED FRAME MATERIAL-ALUMINIUM CLEAR SIZE-(LxWxR)=850mmX800mmXR100mm GLASS THICKNESS-14mm LEGEND-W9	3	Nos	16512,16513,16514								
54	1530	WATER TIGHT TOUGHNEED GLASS WINDOW FOR WHEEL HOUSE - PB SIDE TYPE-FIXED-BOLTED FRAME MATERIAL-ALUMINIUM CLEAR SIZE-(LxWxR)=560mmX800mmXR100mm GLASS THICKNESS-10mm LEGEND-W10	3	Nos	16512,16513,16514								
55	1540	A60 FIRE CLASS WATER TIGHT TOUGHNEED GLASS WINDOW FOR MCR-AB TYPE-FIXED-BOLTED FRAME MATERIAL-SS-316 CLEAR SIZE-(LxWxR)=1000mmX1000mmXR100mm GLASS THICKNESS-50mm LEGEND-W11	3	Nos	16512,16513,16514								
56	1550	DOCUMENTATION FOR GLASS WINDOW	3	SET	16512,16513,16514								
57	1560	ON BOARD SPARES FOR GLASS WINDOW	3	SET	16512,16513,16514								

