

**CORRIGENDUM NO. – I**

Sub: Waterproofing and Structural Strengthening of Slipway No. 1 & 2, South Yard in MDL, Mumbai.

Ref: Tender No. 1900000179 dated 16 Feb'2024.

1. The following points shall be considered by the bidder(s) before submission of final offer for the subject tender.

2. **Item Description for item no. 18 in BOQ**

| BOQ item No | Existing Item Description | Shall be Read as |
|-------------|---|--|
| 18 | Providing & applying KEMPEROL 1K,Solvent free PU Liquid applied membrane Waterproofing system having minimum elongation of 83.5% with fleece,UV resistance, having adhesion of over 2.45N/mm ² ,etc.applied in wet to wet application using fleece to a total consumption of 2.5Kgs/Sqm including top coat of 300gms/Sqm along with a Kemco Pox 2K primer coat of 300gms/sqm as per manufacturers' specification, on the entire terrace slab and parapet walls up to the required height .Cost to include base preparation including cleaning & wire brushing the surface, treating the cracks, construction joints & honeycombs using epoxy mortar etc. Complete. (Contractor will have to submit the Material Test Certificates from manufactures.) | Providing & applying Solvent free PU Liquid applied membrane Waterproofing system of KEMPEROL 1K or equivalent having minimum elongation of 83.5% with fleece, UV resistance, having adhesion of over 2.45N/mm ² ,etc.applied in wet to wet application using fleece to a total consumption of 2.5Kgs/Sqm including top coat of 300gms/Sqm along with a Kemco Pox 2K or equivalent primer coat of 300gms/sqm as per manufacturers' specification, on the entire terrace slab and parapet walls up to the required height. Cost to include base preparation including cleaning & wire brushing the surface, treating the cracks, construction joints & honeycombs using epoxy mortar etc. Complete. (Contractor will have to submit the Material Test Certificates from manufactures). |

3. All other terms & conditions remain unaltered.

4. **The Corrigendum-I as above, duly signed & stamped, shall be uploaded along with Techno-commercial Bid (PART-I) of the offer.**

Signature of Contractor

Seal

Date